

# Explanatory notes: Geological Map of Colombia

Jorge GÓMEZ TAPIAS<sup>1</sup>  
Álvaro NIVIA GUEVARA<sup>2</sup>  
Nohora Emma  
MONTES RAMÍREZ<sup>3</sup>  
Hans DIEDERIX<sup>4</sup>  
María Fernanda  
ALMANZA MELÉNDEZ<sup>5</sup>  
Fernando Alirio  
ALCÁRCEL GUTIÉRREZ<sup>6</sup>  
César Augusto  
MADRID MONTOYA<sup>7</sup>

## Abstract

The GMC summarizes the superficial geological information of the Colombian territory. It was produced mainly by integration and simplification of the 1:100 000 scale geological sheets published by the CGS. Harmonization was controlled using remote sensing imagery such as Landsat TM and radar, and shaded relief images generated with NASA SRTM DEM with 30 m resolution data. The units represented on the GMC were defined according to a mixed chronostratigraphic-lithostratigraphic classificatory scheme.

The GMC has been compiled using ArcGIS 9.3.1 and the data model was designed and integrated into a corporative File Geodatabase using Oracle 10g and ArcSDE 8.3 for handling the data.

The following are the novelties in the GMC 2015 edition: (i) 120 new geological maps at a scale of 1:100 000 published by CGS; (ii) updated official base map from IGAC with MAGNA coordinate system; (iii) updating with scientific papers published until October 2014; (iv) "Radiometric dating catalog of Colombia in ArcGIS and Google Earth"; (v) improvements on trace and kinematics of faults with seismic data interpretations; (vi) harmonization with the geological maps of Perú and Brazil; (vii) adjustments in MGC's interpretation as a result of feedback discussions during presentations in over 30 national and international meetings and events; (viii) Tectonic Framework of NW South America and the Caribbean with 2014 GPS vectors; (ix) new colors and ages of the International Chronostratigraphic Chart 2013, (x) chronostratigraphic unit patterns created with a font, and (xi) printed GMC and GAC as image overlays in Google Earth.

**Key words:** Geological map, GIS, chronostratigraphic units, terranes.

Gómez, J., Nivia, Á., Montes, N.E., Diederix, H., Almanza, M.F., Alcárcel, F.A. & Madrid, C.A. 2015. Explanatory notes: Geological Map of Colombia. In: Gómez, J. & Almanza, M.F. (Editors), *Compilando la geología de Colombia: Una visión a 2015*. Servicio Geológico Colombiano, Publicaciones Geológicas Especiales 33, p. 35–60. Bogotá.

<sup>1</sup> mapageo@sgc.gov.co  
Colombian Geological Survey  
Directorate of Basic Geosciences  
Bogotá D. C., diagonal 53 n.º 34–53,  
office 210, telephone + 57 1 2200204

<sup>2</sup> anivia@sgc.gov.co  
Colombian Geological Survey  
Directorate of Basic Geosciences  
Cali, carrera 98 n.º 16–00,  
UNIVALLE Meléndez

<sup>3</sup> nmontes@sgc.gov.co  
Colombian Geological Survey  
Directorate of Basic Geosciences  
Bogotá D. C., diagonal 53 n.º 34–53,  
office 210, telephone + 57 1 2200232

<sup>4</sup> hdiederix@sgc.gov.co  
Colombian Geological Survey  
Directorate of Basic Geosciences  
Bogotá D. C., diagonal 53 n.º 34–53,  
office 210, telephone + 57 321 2089626

<sup>5</sup> mfalmanza@sgc.gov.co  
Colombian Geological Survey  
Directorate of Basic Geosciences  
Bogotá D. C., diagonal 53 n.º 34–53,  
office 210, telephone + 57 1 2200200, extension 3023

<sup>6</sup> falcarcel@sgc.gov.co  
Colombian Geological Survey  
Directorate of Basic Geosciences  
Bogotá D. C., diagonal 53 n.º 34–53,  
office 210, telephone + 57 1 2200200,  
extension 2447

<sup>7</sup> cmadrid@sgc.gov.co  
Colombian Geological Survey  
Directorate of Basic Geosciences  
Bogotá D. C., diagonal 53 n.º 34–53,  
office 210, telephone + 57 1 2200200,  
extension 3024

Previous page:  
Sheets 11, 12, 13, 14, 15, 16, 17, 18,  
19 and 20 of the Geological Atlas  
of Colombia at a scale of 1:500 000

## Introduction

The Geological Map of Colombia is an ongoing project of the Colombian Geological Survey (CGS) that started in 2002. It is aimed to prepare a digital version of the geological map of the country. The 1<sup>st</sup> edition of the map was published in 2007 and a 2<sup>nd</sup> edition is released with this special edition. **11 new novelties of this new edition of the map will be differentiated with lower case roman numerals in parentheses.**

The main products of the project are: the 1:1 000 000 scale Geological Map of Colombia (GMC) and the 1:500 000 scale Geological Atlas of Colombia (GAC) which consist of 26 sheets. When we refer to the GMC, intrinsically we are referring to the GMC and the GAC.

A geological map is a scientific as well as teaching reference document that is displayed on a topographic map showing the distribution of rocks and superficial unconsolidated materials, as well as the structures that have deformed them. In order to show the age and composition of those geologic materials, colors and patterns are usually employed. To indicate the spatial orientation of geological structures (e.g., faults and folds), appropriate symbols are added to the map.

Besides to let the users to know the geology of the terrain at a designated place, a geological map allows the users to infer the distribution of the materials found at depth. In other words, a geological map is a representation of the geology of an area which has profound implications on many aspects, from the way in which the landscape evolves to the type of vegetation that best thrive there, from the availability of underground water to the occurrence of useful minerals, from the amount of displacement of fault in the terrain caused by an earthquake and associated landslides to the water contamination. From an academic point of view, a geologic map is a fundamental document because it provides information to interpret the evolution of the Earth. Therefore, this document is essential for all those interested in geosciences, the sustainable use of natural resources and the management of the environment, including in the latter the assessment of geological hazards.

The GMC is made from a compilation of regional geological maps and summarizes at a scale of 1 000 000 the geological information of the country surface. The bulk of this information is composed of the geological maps published by the CGS. For those areas where there was no map coverage available, unpublished maps from joint venture international projects were used, such as from the oil industry or from geological consultancy groups. However, due to the heterogeneous nature of the Colombian landscape, including inaccessible places of high relief and/or covered by dense tropical forest, considerable gaps remained. Those gaps were filled with the interpretation from remote sensing imagery. These field circumstances and changes in government policies with respect to the objectives of geological mapping have had implications on the quality and accuracy of the compiled information. Consequently, current knowledge of the geology of Colombia is displayed by the GMC.

**For using the GMC 2015 it is important to note that it includes geological maps published until December 2013 and geological data published until October 2014.**

## History

The GMC project was conceived under the initiative of the Sub-direc-torate of Geological Exploration of CGS in the first months of 2002. It was aimed to review and update the Digital Geological Atlas of Colombia (DGAC), version 1.1 (*cf. Forero et al.*, 1997), a task scheduled for 8 months. However, DGAC had been compiled on a 1:500 000

scale topographic base map taken from the Colombian Forest Map published by the Augustín Codazzi Geographical Institute (IGAC), which previously had many incorrect findings. But considering the fast advances in digital cartography, with its almost unlimited possibilities for scale change and georeferencing of maps as well as remote sensing images with decimeter precision, much improvement has been achieved in the geological mapping of Colombian territory. Instead of straight ahead reductions in scale, the geological features from maps published to larger scales were adjusted to this base map, resulting in a loss of accuracy. This inaccuracy invalidated any intent for updating the DGAC aimed at producing a map that takes advantage to the technological advances offered today by the Geographical Information System (GIS), which allows the optimization of the information available.

In view of the limitation of updating of the DGAC, the working group made the decision to prepare a completely new map integrating all regional geological sheets and quadrangles published. To reach this goal correctly, it would have been a mistake if we had not used the original topographic base maps of compiled sheets and quadrangles, because the publication of them required complete accuracy. The accuracy was needed for georeferencing in GIS faithfully. Faced with this new scope, it was impossible to fit the project into the original scheduled time-frame. This time dilemma was due, in part, to the additional compilation tasks and the labour of synthesizing of the geological data by sheets and quadrangles. It was also necessary to review the updated geological literature, in order to solve the problems of interpretation that became evident during the map compilation and correlation work. Furthermore to afore mentioned, interpretation of remote sensor images for the areas that lacks information was made.

The decision of elaborate the GMC by integration of all information contained in geological map sheets and quadrangles was determined by the intrinsic availability of a 1:500 000 scale base map—as that was the scale of the DGAC map to be updated—. However, there was any integrated geographic database with the required scale. In 2003, a new Integrated Digital Model (MDI) was given to the CGS by IGAC—which did not adjust properly to the corresponding information in the geological map sheets and quadrangles hence it was rejected as a base map—and it was also given the shaded relief images elaborated on basis of Digital Elevation Model (DEM) of the National Aeronautics and Space Administration's (NASA) Shuttle Radar Topography Mission (SRTM) radar interferometry data distributed by the United States Geological Survey's (USGS) EROS Data Center (USGS, 2002), with a resolution of 90 m which allowed adjust the GMC in areas where the base map did not have good accuracy.

By October 2006, IGAC provided to CGS a 1:500 000 scale base map prepared from the NASA SRTM DEM radar interferometric data (USGS, 2004) with 30 m resolution, which finally was adopted as the base map of the GMC. Taking into account the thematic character of the GMC, we established a **visual hierarchy** because it was clear that the geological information had the major importance. Therefore, during the adaptation of the base map, it was necessary to reduce the complexity of the information and change its styles.

## Data compilation

Considering that the GMC project is essentially a work of compilation and synthesis, it is worth pointing out that the format of the regional geological maps published by the CGS has changed considerably over the years, in concordance with the formats of the IGAC's topographic base maps. The first maps were quadrangles (60 × 80 km) published

at a scale of 1:200 000. But, the scale of the publication of the quadrangles changed to 1:100 000 at the end of the 1960's (making the bigger quadrangle maps difficult to manage). Since 1976, this 1:100 000 quadrangles were split into two sheets, giving rise to the 60 × 40 km and 1:100 000 sheets in use today.

On the other hand, to reduce the area deformation of these maps elaborated in conformal transverse Mercator projection, the territory of the country was divided according to bands, each of 3° of longitude centered on the meridians of 68° 04' 51,3" W, 71° 04' 51,3" W, 74° 04' 51,3" W and 77° 04' 51,3" W. For the assignment of a Plane Coordinate System, the intersections of these meridians with the parallel of 4° 35' 56,57" N were used in each case, and a value of 1 000 000 N and 1 000 000 E was given to each point of those intersections. However, because the map sheets of 60 km of width did not fit precisely within these band zones, at both extremes there are maps of 47 × 40 km. Since 2005, with the adoption of the new National Geocentric Reference Frame (MAGNA) used in the CGS, the values of the origin of the plane coordinate changed to the meridians 68° 04' 39,0285" W, 71° 04' 39,0285" W, 74° 04' 39,0285" W and 77° 04' 9,0285" W, and the north parallel 4° 35' 46,3215" N.

In some places, geological maps compiled for the GMC represent the only data available, they include pioneering works as well as compilations of cartographic information obtained from oil companies published in quadrangles at scales of 1:200 000.

As a result of the joint venture project No. 514-L-030 of the International Agency for Development (IAD) carried out between CGS and the USGS, there were published many 1:100 000 scale sheets (Ward *et al.*, 1977a; 1977b; Feininger *et al.*, 1975; Álvarez *et al.*, 1975, and Tschanz *et al.*, 1969) which established standards of mapping that were temporarily adopted in the cartographic practices of the CGS.

The GMC includes all sheets at a scale of 1:100 000 published until December 2013 by the CGS and covering the 57 % of the Colombian territory. It is fair to mention that some of these sheets were adjusted by the IGAC's 1:100 000 base maps from geological maps which were pioneer works such as those of Grosse (1926) that was elaborated using topographic bases made during geological field works.

For the eastern poorly accessible half of the country, such as the Amazonas and Orinoquia region, the available information is less accurate, because there was no complete survey of the area. On one hand, the geological information published for the Amazonas is at a scale of 1:500 000 and is based on the interpretation of radar images complemented by field reconnaissance (Galvis *et al.*, 1979). And on the second hand, the Orinoquia region with poor geological mapping at a scale of 1:100 000 was interpreted from imagery by the staff of the GMC. This task of interpreting direct remote sensor images was also performed in several areas where information gaps existed, such as the Urabá region of the Chocó Department, the western flank of the Western Cordillera in the Cauca and Nariño departments, and serranía de San Lucas. Also, for other regions with difficult access, like the Llanos Foothills of the Eastern Cordillera (Geophoto Services Inc., 1969) and serranía de la Macarena, were used unpublished photogeological maps at scales of 1:50 000; (Geotec, 1971a, 1971b, 1971c, 1971d, 1971e, 1971f and 1971g).

## Cartographic sources

Appendix 1 shows in white the geological maps at different scales compiled for the GMC 2007, and (i) in yellow the 120 integrated geological maps for GMC 2015. Numbers in the Appendix 1 indicate the bibliographic references that are listed following the graph.

## Method of map preparation

The principal tool used in the elaboration of the GMC was ESRI<sup>TM</sup>s ArcMap–ArcGIS 9.3.1 desktop software. The procedure used to perform the GMC was to convert the layers of lithostratigraphic units, faults and folds in E00 format (ESRI ArcInfo interchange file), coverage (ArcInfo) and Geodatabase (ArcGIS) to shapefile. Then we proceeded to convert the shapefiles from Bogotá datum to MAGNA datum, which is the official coordinate system for Colombia according to Resolution No. 068 of January 28<sup>th</sup> of 2005, and (ii) it was adopted as unique official datum for Colombia. The migration process was performed according to the regional processing parameters to migrate georeferenced information from Bogotá datum to MAGNA system established by the IGAC (2004). It is noteworthy that the MAGNA reference system has an associated ellipsoid corresponding to the GRS80 (Global Reference System 1980), equivalent to WGS84 (World Geodetic System 1984).

Once we had the shapefiles in MAGNA, they were generalized to 1:500 000 scale for the GAC and to 1:1 M scale for the GMC. Lastly, the shapefiles were migrated to a Feature Dataset incorporated in a File Geodatabase containing the integrated geological maps named **agc2015.gdb** for GAC and **gmc2015.gdb** for GMC.

One aspect of the process of data integration that required special attention was the frequency of poor matching of the geological harmonization across the sheet boundaries. The ArcMap–ArcGIS tools allowed the display, superimposition and thus the simultaneous comparison of the compiled cartographic information with remote sensing imagery; while shaded relief images facilitated the correct positioning of mapped geological units and structures. Those tools improved matching adjacent map sheets. In order to control the process of map joining and correlation, there were used the ortho-images of Synthetic Aperture Radar SAR-1 (INTERA from 1992), Landsat Tematic Mapper (TM) imagery and the shaded relief images. These shaded relief images in combination with Landsat TM imagery accentuated the geomorphologic features, making possible to achieve better quality control of the compiled data.

Shaded relief images were generated in ArcScene 9.3.1 with the Hillshade tool from NASA SRTM DEM (USGS, 2004). As Colombian topographic features has mainly N–NE direction, it was used a combination of two shaded relief images (grouped), the first one created with an azimuth of 45°, an altitude of 45° and a transparency of 50 % superimposed, and the second one was created with an azimuth of 315°, an altitude of 45° and without transparency. This configuration allows an excellent visualization of geomorphological features for the majority of the Colombian territory.

In sectors where there was no correspondence between physiographic features and distribution of rock units and structures indicated in the maps, the information was corrected according to the shaded relief images or Landsat TM imagery. During the integration and synthesis of the compiled data, editing was carried out in such way that the best possible display of the information would be obtained at 1:500 000 and 1:1 000 000 scales, which are the publication scales of the GAC and GMC, respectively.

In order to keep updated the GMC, since the beginning of the project all the geological information related to the Colombian geology published was reviewed, such as national and international scientific journals; books; undergraduate, master and doctorate theses; geology conference proceedings; reports produced by institutions such as the Hydrocarbons National Agency (ANH); unpublished reports of the CGS, and geological maps of neighboring countries. This information was stored in physical media for quick consultation, and the references were added to an EndNote X4 library. GMC 2007 inclu-

ded information published until December 2005, and (iii) GMC 2015 geological information published since December 2005 until October 2014, ending with the geochronological data of Martens *et al.* (2014).

All of these publications allowed to update the GMC on the following aspects:

1. Ages of igneous and metamorphic geological units of the map were updated using geochronological data, mainly ages Ar<sup>40</sup>–Ar<sup>39</sup> and U–Pb (Sensitive High Resolution Ion Microprobe, SHRIMP and Laser Ablation–Inductively Coupled Plasma Mass Spectrometry, LA–ICP–MS) taken from the (iv) “Radiometric dating catalog of Colombia in ArcGIS and Google Earth” (Gómez *et al.*, 2015) made for this purpose. In this regard, the following publications were very useful: Priem *et al.* (1989), Restrepo Pace *et al.* (1997), Ordóñez Carmona (1997), Ordóñez Carmona (2001), Cordani *et al.* (2005), Vinasco *et al.* (2006), Cardona *et al.* (2010), González (2011), Leal Mejía (2011), Restrepo *et al.* (2011), Villagómez *et al.* (2011) and Martens *et al.* (2014). The Catalog is included as a Feature Dataset (named CataloDatacioRadiomeCol) in the GMC 2015 File Geodatabase.
2. (v) Structural and subsurface information helped to improve the definition of the type, nomenclature and traces of the faults included in the GMC 2015 (e. g., Barrero *et al.*, 1998; López & Barrero, 2003; Cortés, 2004, and Restrepo Pace *et al.*, 2004).
3. Ages of many sedimentary units were updated according to reports of macro and micropaleontological fossils (e. g., Grösser & Prössl, 1991; Prössl & Grösser, 1995; Angiolini *et al.*, 2003; Dueñas & Césari, 2005; Wesselingh *et al.*, 2006; Latrubesse *et al.*, 2010, and Arango *et al.*, 2011).
4. To make the Geological Terranes Map of Colombia, the geotectonic framework of many areas of Colombia was evaluated. It is highlighted the contributions of Etayo Serna *et al.* (1969), Kroonenberg (1982), Priem *et al.* (1989), Forero (1990), Toussaint (1993), Maya & González (1995), Ordóñez Carmona (1997), Nivia (1987), Kerr *et al.* (1997), Tassinari & Macambira (1999), Kerr *et al.* (2002), Ordóñez Carmona (2001), Sarmiento (2001), Gómez *et al.* (2003), Cordani *et al.* (2005), Gómez *et al.* (2005a, 2005b), Vinasco *et al.* (2006), Mora *et al.* (2009), Weber *et al.* (2009), Cardona *et al.* (2010), Horton *et al.* (2010), Parra *et al.* (2010), Weber *et al.* (2010), Villagómez *et al.* (2011), Leal Mejía (2011), Restrepo *et al.* (2011), Ibáñez Mejía *et al.* (2011), Bayona *et al.* (2012), Saylor *et al.* (2012) and Martens *et al.* 2014.

Currently, the Subcommission for South America of the Commission for the Geological Map of the World (CGMW) are undertaking the Geological and Mineral Resources Map of South America at a scale of 1:1 M under the leadership of Carlos SCHOBENHAUS of the Geological Survey of Brazil (CPRM) and Jorge GÓMEZ TAPIAS from the CGS, and sponsored by the Iberoamerican Mining and Geology Surveys Association (ASGMI). In this context, in 2009 the geological surveys of Brazil, Colombia and Perú (IMGEMMET) began to prepare the geological sheets NA.–19, NB.–19 and SA.–19. For this purpose, three interdisciplinary workshops were carried out at the University of Tabatinga in Brazil from the 1<sup>st</sup> to the 2<sup>nd</sup> October 2009, from the 10<sup>th</sup> to the 11<sup>th</sup> August 2010, and from the 30<sup>th</sup> November to the 1<sup>st</sup> December 2011. One of the main results of those workshops was the harmonization of the geological maps of Brazil, Colombia and Perú. This task was achieved using both Geocover imagery from NASA, and Aeromagnetometry and Aerogamaspectrometry maps. (vi) Such information and feedback with the teams of Perú and Brazil was included in the GMC 2015.

Following the recommendation of McLelland (2006) that state: “Scientific explanations should always be made public, in print or either presented at scientific meetings”, pointing out that the **evaluation** by the scientific community is the final part of the scientific method; the GMC has had extensive divulgation at universities, formal and informal events and national (e. g., Gómez *et al.*, 2005c; Gómez *et al.*, 2009, and Gómez & Montes, 2011) and international congresses (e. g., Gómez *et al.*, 2007; Gómez *et al.*, 2008, and Gómez *et al.*, 2012).

During the GMC divulgation important discussions and valuable contributions allowed to identify misallocated ages and misinterpretations of some units. (vii) Authors of the GMC have been agreed with all these contributions, due to the strength of the data (e. g. Triassic age of the metamorphic rocks of the Central cordillera, considered as pre-Ordovician in the GMC 2007), and so those contributions were corrected in the version released in 2015.

Finally, when difficulty was found in making a decision because of the ambiguity and antagonism of the data collected, **370 days of field work** has been made to many places around the country until October 2014. Those field works have helped to solve some of these geological problems identified, as well as to make decisions, to take samples for geochronology and to find new fossiliferous localities that have provided valuable data that is expected to be published in the coming years. In the same way, during the 14<sup>th</sup> Latin American Geological Congress and 13<sup>th</sup> Colombian Geological Congress it was made the field excursion named Geological cross section of Colombian Andes at 4° of North Latitude (Villavicencio–Buenaventura), held from 22<sup>th</sup> to 27<sup>th</sup> August 2011, and with the collaboration of Dr. Darío BARRERO LOZANO independent senior consulting geologist and Dr. Eduardo LÓPEZ RAMOS from Ecopetrol.

## Philosophy and design of the GMC


In order to prepare the GMC, we developed our own specific methodology which reflects the characteristics and mapping history of Colombia complemented with elements of other geological surveys.

The GMC consists of 2 sheets. Sheet 1 is the map and sheet 2 is the map legend. The former contains, as its principal element, the geologic map. This map has representations of the offshore islands of Colombia; due to their far distance from the mainland and their small size, they are displayed as insets at a scale of 1:100 000 (Figure 1). Displayed in one inset are the corporate credits and author listing, and in another inset the Localization of Colombia in South America. In addition, there are diagrams that provide the reader with a better contextual understanding of the geology of Colombia. They are: a sketch of the Tectonic Framework of Northwestern South America and the Caribbean; the Colombian Physiographic Map, showing the location of the features frequently quoted in the geological description of the country, and Geological Terranes Geological of Colombia, a proposal made based on geological information compiled for the GMC and geochronological assessment carried out in the “Radiometric dating



**Figure 1.** Geological Map of Colombia 2015, sheet 1 insets. (1) Geological Map of Colombia, (2) Geological Map of San Andrés, (3) Geological Map of Providencia, (4) Tectonic Framework of Northwestern South America and the Caribbean, (5) Geological Terranes Map of Colombia, (6) Localization Map of Colombia in South America, (7) Physiographic Map of Colombia, (8) suggested citation, (9) cartographic sources of the base map, (10) Quaternary volcanoes of Colombia, (11) geological conventions, (12) lithologic pattern chart, (13) credits and (14) Geological Map of Gorgona.

Explanatory notes: Geological Map of Colombia



catalog of Colombia in ArcGIS and Google Earth" (Gómez *et al.*, 2015). Finally, there are insets that display the conventions used in the map, which describe the structural elements and a list that displays the citations used for the Quaternary volcanoes (Figure 1).

**Tectonic Framework of Northwestern South America and the Caribbean** at a scale of 1:5 000 000 was performed on a DEM where major tectonic features were located in the Caribbean region and Colombia, the main folds and faults were taken from GMC 2015. Among the most relevant information compiled for the realization of this map were Hey (1977), Lonsdale & Klitgord (1978), Case *et al.* (1984), Adamek *et al.* (1988), Hardy (1991), Zamora & Litherland (1993), Meschede *et al.* (1998), Gutscher *et al.* (1999), Audemard *et al.* (2000), Barckhausen *et al.* (2001), MacMillan *et al.* (2004), Giunta *et al.* (2006) and Escuder Viruete *et al.* (2006). The values of the relative motion vectors of plates were taken from the GPS data from GEORED Project of the CGS (<http://geored.sgc.gov.co/>) and Protti *et al.* (2015). (viii) GPS vectors, updated to December 2014, were plotted considering the magnitude and azimuth. Data were compiled from 57 stations that belong to the International Terrestrial Reference Frame (ITRF) 2005.

Sheet 2 gives a description of the Chronostratigraphic Units (CU), accompanied by a brief description of the rock types and deposits (Figure 2). The elements containing these descriptions are organized according to their age of formation, with the more recent materials placed at the top of the sheet. In order to display this organization of elements, the International Chronostratigraphic Chart (ICC) (Figure 3) of the International Commission on Stratigraphy (ICS) (Cohen *et al.*, 2013) was reproduced on the left margin of the sheet. For a detailed description of the ICC see Gradstein *et al.* (2012).

These units which are represented on the map were defined according to a mixed chronostratigraphic-lithostratigraphic classification scheme that took into account 3 criteria: age, lithology and geological terrane.

In this classification scheme a distinction was made between rocks and unconsolidated deposits. The latter was subdivided according to type of deposit in: alluvium, terrace, alluvial fan, paludal, glacial, pyroclastic, dune, swamp and volcanoclastic. On the other hand, rocks were represented in accordance with their principal types in: igneous, metamorphic and sedimentary with volcanoclastic rocks as a separate type. Igneous rocks were differentiated both according to their composition (ultramafic, mafic, intermediate and felsic) and to their environment of formation (plutonic, hypabyssal and volcanic).

Metamorphic rocks were differentiated according to their grade of metamorphism into very low, low, medium, and high grade (*sensu* the Geological Map of South America from Schobbenhaus & Bellizia, 2001; and the International Map of Europe and Geological Map of Europe Adjacent Areas from Asch, 2005), and high pressure. An exception was made with the marbles due to their occurrence in several grades of metamorphism and economic importance.

For the sedimentary and volcanoclastic rocks the main environment of accumulation was indicated as marine, transitional or continental. Into transition environments were considered the delta plains, costal lagoons, intertidal plains and coastal fans. However, due to extent of the outcrops and to the map scale at which the information is displayed, some stratigraphic intervals had embraced diverse environments and so within the classification scheme it was necessary to create subdivisions that considered the union of various environments (continental-transitional, continental-transitional-marine and transitional-marine).

(ix) With respect to the colors used to indicate the age of the GMC's units, classification and values of Red, Green, Blue (RGB) were adopted from the Commission for the Geological Map of the World

(Pellé, 2008). In order to improve the identification of the CU and the readability the map, a pattern was designed for each type and formation environment of rocks and deposits (Figure 4). Half of these were taken from FGDC (2006) that come by default in ArcGIS™ software. The other half was developed by the GMC's team at the CGS (Figure 2). GMC and AGC patterns are the same, the only difference is the size. In this way, each CU is represented by a color, that represents its age and a pattern which corresponds to its lithology and by extension its formation environment.

(x) For better visualization, patterns were created in Corel Draw 14 and exported to a font named Tramado\_MGC.TTF (True Type Font) loaded in ArcGIS to generate the pattern. This methodology was adapted from the Geologic Map of North America (Reed *et al.*, 2005a) and has the advantage that the display of the map in ArcGIS is faster, printing time map is reduced around 80 % and the map has a sharper graphics output, both in paper and in PDF format.


In addition, the CU was assigned with a code composed by the recommended notation for geochronologic units (Remane, 2000), separated by a hyphen from an acronym that shows the rock type and its formation environment. The main rock type is indicated by uppercase letters (M: metamorphic, VC: volcanoclastic, etc.) followed by lowercase letters that depicts its composition, metamorphic grade or depositional environment in accordance to whether it is igneous, metamorphic or sedimentary rock respectively (u: ultramafic, lg: lower grade of metamorphism, ct: continental-transitional). The following example illustrates this notation:

Age	+	Lithology	+	Geological terrane
Stenian-Tonian		High-grade metamorphic rocks		Chibcha Terrane-CHT




Assignment of the age code was made in each case according to the existing knowledge of the CU actual geochronological age. In some cases, because of the uncertainty of available knowledge it was decided to assign a code of era for the CU (e. g. PZ-Sm corresponds to Paleozoic marine sedimentary rocks). When geochronological data allowed the precise definition of the rock age the assignment of the code was specified at the level of age (e. g., b2-Vf for felsic volcanic rocks of the Valanginian). When geochronological data indicated time intervals of rock ages, their limits were shown (e. g., k5E1-Sm indicates Campanian to Paleocene age sedimentary rocks of transitional and marine environments). When rock age data was doubtful, uncertainty was expressed with question marks (e. g., b5?k6-Sctm, it suggests that we deal with sedimentary rocks accumulated in continental, transitional and marine environments between the Maastrichtian and possibly the Aptian; n1?n5?-VCc stands for volcanoclastic rocks accumulated in continental environments, possibly between the Aiquitanian and Tortonian).

**Figure 2.** Legend of the Geological Map of Colombia (GMC) 2015, sheet 2. The International Chronostratigraphic Chart (ICC) 2013 was reproduced on the left margin of the sheet. The GMC 2015 working hypothesis (which takes into account that the crustal evolution of Colombia is consequence of successive accretion events) was used to design the gray background of the legend sheet on which chronostratigraphic units (CU) are showed according to their relationship with these tectonic events. 4 CU examples were enlarged with their description of rocks or deposits that compose them. Notice the location maps in the lower left corner of each terrane, whose 3 were expanded as examples. (RNJP) Rio Negro-Juruena Province, (CHT) Chibcha Terrane, (TT) Tahamí Terrane, (AT) Anacona Terrane, (QT) Quebradagrande Terrane, (ART) Arquía Terrane, (CT) Caribe Terrane and (LGT) La Guajira Terrane.

Explanatory notes: Geological Map of Colombia



# International Chronostratigraphic Chart 2013



Units of all ranks are in the process of being defined by Global Boundary Stratotype Section and Points (GSSP) for their lower boundaries, including those of the Archean and Proterozoic, long defined by Global Standard Stratigraphic Ages (GSSA). Charts and detailed information on ratified GSSPs are available at the website <http://www.stratigraphy.org>. The URL to this chart is found below.

Numerical ages are subject to revision and do not define units in the Phanerozoic without ratified GSSPs or without constrained numerical ages, an approximate numerical age (-) is provided.

Cretaceous and Precambrian are taken from 'A Geologic Time Scale 2012' by Gradstein et al. (2012); those for the Permian, Triassic and Cretaceous were provided by the relevant ICS subcommissions.

Coloring and notations follows the Commission for the Geological Map of the World (<http://www.cggm.org>). Chart drafted by K.M. Cohen, S. Finney, P.L. Gibbard © International Commission on Stratigraphy, January/2013. <http://www.stratigraphy.org/ICSSchart/ChronostratChart2013-01.pdf>



**Figure 3.** International Chronostratigraphic Chart 2013. This version was prepared using the design and notations of the International Stratigraphic Chart from Remane (2000); it follows the colors of the Commission for the Geological Map of the World (Pellé, 2008); and units of all ranks, chronostratigraphic boundaries, Global Boundary Stratotype Section and Points (GSSP), Global Standard Stratigraphic Ages (GSSA), and numerical ages were taken from the International Chronostratigraphic Chart from Cohen *et al.* (2013).

In addition, when an acronym is followed by one digit, this number represents the geological terrane (e. g. *K2-Vm7* refers to Upper Cretaceous mafic volcanic rocks of the Caribbean Terrane). Geological terrane is used here in the sense of Neuen-dorf *et al.* (2005) as “A faulted–bounded body rock of regional extent, characterized by a geologic history different from that of contiguous terranes or bounding continents. A terrane is generally considered to be a discrete allochthonous fragment of oceanic or continental material added to a craton at an active margin by accretion”.

The Geological Terranes Map of Colombia proposal (Figure 5) was performed based on information compiled for the GMC and the “Radiometric dating catalog of Colombia in ArcGIS and Google Earth” (Gómez *et al.*, 2015). In this map, the Anacona Terrane is used *sensu* Martens *et al.* (2014), the Tahamí and Chibcha terranes *sensu* Restrepo *et al.* (2011) and the Río Negro–Juruena province *sensu* Tassinari & Macambira (1999). This working hypothesis, which takes into account the crustal evolution of Colombia as a consequence of successive accretion events, was used in the design of the gray background for the legend sheet whose the elements contain the descriptions of the CU and were distributed according to their relationship with these tectonic events (Figure 2).

Finally, when at the beginning of the age notation appears the letter *p* (rho), it indicates that the CU can be assigned to any period after that age (e. g. *pT-Sm* was assigned to marine sedimentary rocks with a post-Triassic age).

## Project development

The GMC compilation process was completed in 2007, and in December 2014 ended the edition that is released in 2015. During this time, the working team were composed of geologist of CGS and consisted from three to five participants. Project coordination was managed by the MPhil Álvaro NIVIA GUEVARA between 2002 and 2003. Then the project changed hands to the geologist Jorge GÓMEZ TAPIAS who lead the project from 2004 to present.

For compilation purposes of the digital cartographic information, the country was divided in seven regions. During this stage of the project, all structural information such as faults and folds as well as CU corresponding to these same regions were integrated in independent files. Then they were subsequently edited and synthesized in single integrated files for each of these features. At the end of the compilation stage the CU integrated file contained 471 units that were synthesized up to 169 CU in GMC 2007, and 187 CU in the final GMC 2015. A similar task of synthesizing was carried out for editing the structural elements. In the foothills of the Eastern Cordillera where available infor-

mation is scarce, an effort was made to improve interpreted structural information of aerial photos and Landsat TM (bands 457) imagery. After release of the GMC in its 2007 edition, the updating process of the GMC has been continuous and for 2015 edition have been integrated 120 new geological maps at a scale of 1:100 000, produced by the SGC from beginning 2006 to December 2013.

It was taken into account the wide area extent and distribution of Cretaceous rocks and their local importance as source hydrocarbons. Thereby, it was decided to carry out a special study focused on better codification definitions. This study consisted of a review of the lithostratigraphic unit ages assigned to each of the geological cartographic data sources and the methods used to date them (Gaona Narváez, 2005). Subsequently, the time intervals that corresponds to the ammonite content reported for each unit were verified. Finally, on this basis, an update of the biostratigraphic correlation between lithostratigraphic units was achieved. Based on this information, 20 CU were separated within the Cretaceous rock sequence. This separation allows to figure out the diachronous nature of these units, the spatial and temporal variation of the sedimentary facies and the subsequent interpretation of the transgressive or regressive movements of the sea during the Cretaceous. This work can be viewed in this volume in “El Cretácico sedimentario al este de la Falla San Jerónimo: Compilación para el Mapa Geológico de Colombia” (Gaona Narváez, 2015).

Once all the information was integrated and with the help of draft printed map, the work proceeded on the digital editing that was necessary to convert the innumerable sinuous and zigzagging lines which resulted from reducing the scale 10 times from the original map information into smooth and legible boundaries, always checked by satellite images and shaded relief images.

Taking into account that proper map readings of the colors and patterns used for the representation of CU were insufficient, additional annotations were added containing the map code identification of individual units, as well as the names of the main tectonic structures. These annotations were put on the map to facilitate identification of each polygon in such a way they do not interfere with the annotations of the base map, that were eventually modified.

## GIS

As a part of building the structure of the digital database for the GMC a data model was designed. In addition to its characteristics as an independent GIS for an ArcMap–ArcGIS File Geodatabase (geographic database), it was implemented into a corporate geodatabase integrated to the CGS’s GIS. CGS’s GIS is supported by a technological platform that handles data with the database management system Oracle 10g, spatial data engine ArcSDE 9.1 and ArcGIS 9.3.1 for spatial data handling.

For the GAC 2007 was created an extension in the toolbar named SIGER 500 within ArcGIS 9.3.1, developed in Visual-Basic.Net that has to be installed and connected with the Oracle Database. This application was the result of a collaborative effort with the system engineer Berenice GALÁN CADENA, the geologist Jorge GÓMEZ TAPIAS and the programmer Guillermo MUÑOZ DUPUY. The functionalities that were developed are shown in Figure 6 and are described below.




Figure 4. Lithologic pattern chart

The first functionality is the **Security and access**, where everyone requires a user and password. The second one is the **Spatial objects**, that permits to download information from the corporate geodatabase. The third is the **Administration and version management** that allows to administrate and manage different versions of the information contributing to the rules and system security policies and thus to ensure data integrity.


This functionality facilitates the creation of different GAC's versions. This leaves open the possibility of different geological interpretations or to create different thematic maps such as a hydrologic map or a Quaternary faults map. The forth functionality is the **Display**; this facilitates the display of visualized information either on screen or on paper. These capabilities allow the location or display of a map as a specific sheet and also allow making a map draft with the layers displayed in different paper sizes. The fifth is the **Products generation**, which allows the deployment and printing of products or final maps and exports them. The sixth is the **Metadata**, the seventh is the **Consulting**, the eighth is the **Help** and the ninth is the **Dynamic legend**.

In order to explain the **Dynamic legend** is necessary to indicate that the GAC consists of 26 sheets of 68 × 131 cm of height at a scale of 1:500 000, following the official map sheet division established by the IGAC for Colombia (Figure 7). The GAC 2015 template has the following insets shown in the Figure 8.

As the GAC 2015 is stored as a single map and database, and not as separate independent sheets, the Dynamic Legend allows to create the map legend in two ways. The first option allows to create the sheets dynamically according to the official grid established by the IGAC. The second one allows users to create a custom map covering a particular area of interest, with the plane coordinates with Mercator projection (UTM projections) required by the user, but with the limitation on the map size of 47 × 68 cm. The insets working dynamically are the map itself, the legend, the CU description, the index sheet map and cartographical sources. At the moment, the extension SIGER 500 is limited to the SGC's users only.

For external users it is possible to query, the Web version of the GAC 2015 and GMC 2015 through the Web site of the CGS in the following link: [http://srvags.sgc.gov.co/Flexviewer/Atlas\\_Geologico\\_Colombia\\_2015/](http://srvags.sgc.gov.co/Flexviewer/Atlas_Geologico_Colombia_2015/) and [http://srvags.sgc.gov.co/Flexviewer/Mapa\\_Geologico\\_Colombia\\_2015/](http://srvags.sgc.gov.co/Flexviewer/Mapa_Geologico_Colombia_2015/).

(xi) Finally, for users who do not have ArcGIS, the GAC 2015 and GMC 2015 were implemented as image overlays in Google Earth. The CU layer attributes can be displayed clicking on the map because the CU layer is overlaid with 99 % of transparency (Figure 9). Likewise, the Colombian volcanoes are also included as layers in the KMZ files. The GAC 2015 and GMC 2015 in Google Earth can be downloaded from: [http://www.sgc.gov.co/images/mapgeo/03\\_agc2015/KMZ/agc2015\\_kmz.zip](http://www.sgc.gov.co/images/mapgeo/03_agc2015/KMZ/agc2015_kmz.zip) and [http://www.sgc.gov.co/images/mapgeo/01\\_mgc2015/KMZ/mgc2015\\_kmz.zip](http://www.sgc.gov.co/images/mapgeo/01_mgc2015/KMZ/mgc2015_kmz.zip).





**Figure 6.** Functionalities of the extension SIGER 500K. (1) Security and access, (2) Spatial objects functionalities, (3) Administration and version management, (4) Display, (5) Template and products generation, (6) Metadata, (7) Searching, (8) Help and (9) Dynamic legend.

## Future revisions and updates

The new GMC 2015 was released on 20<sup>th</sup> August 2015, 99 years after anniversary of the foundation of the Colombian National Scientific Commission ordered by the Law 83 of 1916 with the task of surveying Colombian territory. This map summarizes the work of exploration and geological investigations carried out since then. However, never before the information has been as accessible as now, when it is available on a GIS. Nowadays, we have a system that not only permits easy consultation but also facilitates rapid updating. We follow the words of Reed *et al.* (2005b), who in reference to future revisions and additions to the Geological Map of North America (Reed *et al.* 2005a) emphasizes that any geological map has to be considered as a work in progress subject to continuous updating, revision and addition. As such, the GMC is not a static document but is one that is open to continuous modification and improvement in the light of new information and scientific advances in the interpretation of geological phenomena. **The periodic production of this document is one the main function of the Colombian Geological Survey**, according to Decree 4131 of November 3<sup>rd</sup>, 2011 of the Ministry of Mines and Energy.

## Final considerations

- † The GMC 2015 (SIG, PDF and TIFF), the 26 sheets of the GAC 2015 (SIG, PDF, TIFF and KMZ) and the Radiometric Dating Catalog of Colombia (SIG, KMZ and reference manager database in ENL) can be downloaded for free in the following URL:<http://www.sgc.gov.co/Geologia/Mapa-geologico-de-Colombia.aspx>.
- † The GMC has structured all its GIS and annotations in English.
- † The CU named NP3-Sm in the GMC has not been differentiated in geological mapping of the CGS but it was included in Sheet 2-Legend of the GMC. This unit includes sedimentary rocks that according to Cáceres *et al.* (2003) contain algal tissue and sphaeromorph acritarchs from Ediacaran, found at the Chigüiro 1 and Patos 1 oil wells in the Arauca Department.
- † Citation of the Geological Map of Colombia 2007 at a scale of 1 000 000 is suggested as:

Gómez, J., Nivia, Á., Montes, N.E., Tejada, M.L., Jiménez, D.M., Sepúlveda, M.J., Osorio, J.A., Gaona, T., Diederix, H., Uribe, H. & Mora, M., compilers, 2007. Geological Map of Colombia 2007. Scale 1:1 000 000. INGEOMINAS, 2 sheets. Bogotá.

- † Citation of the Geological Atlas of Colombia 2007 at a scale of 500 000 is suggested as:

Gómez, J., Nivia, Á., Montes, N.E., Jiménez, D.M., Sepúlveda, J., Gaona, T., Osorio, J.A., Diederix, H., Mora, M. & Velásquez, M.E., compilers. 2007. Atlas Geológico de Colombia. Scale 1:500 000. INGEOMINAS, 26 sheets. Bogotá.

† Citation of the Geological Map of Colombia 2015 at a scale of 1 000 000 is suggested as:

Gómez, J., Montes, N.E., Nivia, Á. & Diederix, H., compilers. 2015. Geological Map of Colombia 2015. Scale 1:1 000 000. Colombian Geological Survey, 2 sheets. Bogotá.

† Citation of the Geological Atlas of Colombia 2015 at a scale of 500 000 is suggested as:


Gómez, J., Montes, N.E., Nivia, Á. & Diederix, H., compilers. 2015. Atlas Geológico de Colombia 2015. Scale 1:500 000. Colombian Geological Survey, 26 sheets. Bogotá.

† Any suggestion intending to improve the Geological Map of Colombia, please contact geologist Jorge GÓMEZ TA-PIAS–Coordinator of the Geological Map of Colombia Project at the E-mail: [mapageo@sgc.gov.co](mailto:mapageo@sgc.gov.co).


## References

- Adamek, S., Frohlich, C. & Pennington, W. 1988. Seismicity of the Caribbean–Nazca Boundary: Constraints on microplate tectonics of the Panamá Region. *Journal of Geophysical Research*, 93(B3): 2053–2075.
- Álvarez, J., Rico, H., Vásquez, H., Hall, R. & Blade, L. 1975. Geological map of the Yarumal quadrangle (H-8) and part of the Ituango quadrangle (H-7), Colombia. Escala 1:100 000. INGEOMINAS. Bogotá.
- Angiolini, L., Racheboeuf, P.R., Villarroel, C.A. & Concha, A.E. 2003. Stratigraphy and brachiopod fauna of the Carboniferous El Imán Formation, Colombia. *Revista Española de Paleontología*, 18(2): 151–158.
- Arango, M.I., Nivia, Á., Zapata, G., Giraldo, M.I., Bermúdez, J.G. & Albarracín, H.A. 2011. Geología y geoquímica de la plancha 350 San José del Guaviare. INGEOMINAS. 156 p. Medellín.
- Asch, K. 2005. The 1:5 million international geological map of Europe and adjacent areas—IGME 5000. Escala 1:5 000 000. CGMW & BGR. Hannover, Alemania.
- Audemard, F.A., Machette, M.N., Cox, J.W., Dart, R.L. & Haller, K.M. 2000. Map and database of Quaternary faults in Venezuela and its offshore regions. Escala 1:2 000 000. USGS. Denver, USA.
- Barckhausen, U., Ranero, C.R., von Huene, R., Cande, S.C. & Roeser, H.A. 2001. Revised tectonic boundaries in the Cocos Plate of Costa Rica: Implications for the segmentation of the convergent margin and for plate tectonic models. *Journal of Geophysical Research*, 106(B9): 19207–19220.


Explanatory notes: Geological Map of Colombia



**Figure 7.** Distribution of the 26 sheets of the Geological Atlas of Colombia 2015 at a scale of 1: 500 000, according to the established nomenclature of IGAC.



**Figure 8.** Geological Atlas of Colombia 2015 insets. (1) Geological Atlas of Colombia, (2) geological legend, (3) chronostratigraphic units description, (4) codification of chronostratigraphic units, (5) lithologic pattern chart, (6) Geological Terranes Map of Colombia, (7) credits, (8) index sheet, (9) cartographic sources, and (10) geological conventions.



**Figure 9.** Geological Map of Colombia 2015 in Google Earth. Note the attributes of chronostratigraphic units displayed. To the left of the figure, volcanoes can be seen with a special symbol that helps to locate them quickly.

- Barrero, D., Cáceres, C. & Cediel, F. 1998. Seismic atlas of Colombia: Seismic expression of structural styles in the basins of Colombia. Ecopetrol, Geotec Ltda. & Robertson Research International Ltd., unpublished. Bogotá.
- Bayona, G., Cardona, A., Jaramillo, C., Mora, A., Montes, C., Valencia, V.A., Ayala, R.C., Montenegro, O.C. & Ibáñez Mejía, M. 2012. Early Paleogene magmatism in the northern Andes: Insights on the effects of Oceanic Plateau-continent convergence. *Earth and Planetary Science Letters*, 331–332(0): 97–111.
- Cáceres, C., Cediel, F. & Etayo Serna, F. 2003. Mapas de distribución de facies sedimentarias y armazón tectónico de Colombia a través del Proterozoico y del Fanerozoico. INGEOMINAS, 45 p. Bogotá.
- Cardona, A., Valencia, V.A., Garzón, A., Montes, C., Ojeda, G., Ruiz, J. & Weber, M. 2010. Permian to Triassic I to S-type magmatic switch in the northeast Sierra Nevada de Santa Marta and adjacent regions, Colombian Caribbean: Tectonic setting and implications within Pangea paleogeography. *Journal of South American Earth Sciences*, 29(4): 772–783.
- Case, J.E., Holcombe, T.L. & Martin, R.G. 1984. Map of geologic provinces in the Caribbean region. Escala 1:5 000 000. Geological Society of America, Memoir 162, p. 1–30.
- Cohen, K.M., Finney, S.C., Gibbard, P.L. & Fan, J.-X. 2013. The ICS International Chronostratigraphic Chart. *Episodes*, 36(3): 199–204.
- Cordani, U.G., Cardona, A., Jiménez, D., Liu, D. & Nutman, A.P. 2005. Geochronology of Proterozoic basement inliers from the Colombian Andes: Tectonic history of remnants from a fragmented grenville belt. In: Vaughan, A.P.M., Leat, P.T. & Pankhurst, R.J. (Editors), *Terrane processes at the margins of Gondwana*. Geological Society of London, Special Publication 246, p. 329–346.
- Cortés, M. 2004. Evolution structurale du front centre-occidental de la Cordillère Orientale de Colombie. Tesis de doctorado, Université Pierre et Marie Curie, 331 p. París.
- Dueñas, H. & Césari, S.N. 2005. Palynological evidence of early Carboniferous sedimentation in the Llanos Orientales basin, Colombia. *Review of Palaeobotany and Palynology*, 138(1): 31–42.
- Escuder Viruete, J., Díaz de Neira, A., Hernández Huerta, P.P., Monthel, J., García Senz, J., Joubert, M., Lopera, E., Ullrich, T., Friedman, R., Mortensen, J. & Pérez Estaún, A. 2006. Magmatic relationships and ages of Caribbean Island arc tholeiites, boninites and related felsic rocks, Dominican Republic. *Lithos*, 90(3–4): 161–186.
- Etayo Serna, F., Renzoni, G. & Barrero, D. 1969. Contornos sucesivos del mar Cretáceo en Colombia. I Congreso Colombiano Geológico. Memorias, p. 217–252. Bogotá.
- FGDC (prepared for the Federal Geographic Data Committee by the U.S. Geological Survey). 2006. Federal Geographic Data Committee Digital cartographic standard for geologic map symbolization. Federal Geographic Data Committee Document Number FGDC-STD-013-2006, 290 p. Reston, USA.
- Feininger, T., Barrero, D., Castro, N., Ramírez, O., Lozano, H. & Vesga, J. 1975. Geologic map of Eastern Antioquia Department, Colombia, quadrangle I-9, and parts of quadrangles H-9, H-10, I-10, J-9, and J-10. Escala 1:100 000. INGEOMINAS-USGS, 2 sheets. Bogotá.
- Forero, A. 1990. The basement of the Eastern Cordillera, Colombia: And allochthonous terrane in north western South America. *Journal of South American Sciences*, 3(2–3): 141–151.
- Forero, G., Ferreira, P., Maya, M., García, E., Martínez, J.O., Núñez, A., Cardozo, E., Nivia, Á., González, H., Cepeda, H. & Clavijo, J. 1997. Atlas geológico digital de Colombia versión 1.1. Escala 1:500 000. INGEOMINAS, 26 sheets. Bogotá.
- Galvis, J., Huguett, A., Ruge, P. & de Boorder, H. 1979. La Amazonia colombiana y sus recursos: Geología, Tomo II Mapa de Geología. In: Diazgranados, D.A., *Proyecto Radargramétrico del Amazonas*. Escala 1:500 000. IGAC, 11 sheets. Bogotá.
- Gaona Narváez, T. 2005. El Cretácico sedimentario al este de la falla de San Jerónimo. Servicio Geológico Colombiano, unpublished report, 150 p. Bogotá.
- Gaona Narváez, T. 2015. El Cretácico sedimentario al este de la falla de San Jerónimo. Servicio Geológico Colombiano. In: Gómez, J. & Almanza, M.F. (Editors), *Compilando la geología de Colombia: Una visión a 2015*. Servicio Geológico Colombiano, Publicaciones Geológicas Especiales 33: 421–429. Bogotá.
- Geophoto Services, Inc. 1969. Geologic map of llanos area. Escala 1:50 000. Ecopetrol, unpublished. Bogotá.
- Geotec. 1971a. Mapa fotogeológico de la plancha 284. Escala 1:50 000. In: Ecopetrol, Informe geológico preliminar serranía de La Macarena, unpublished, 52 p. Bogotá.
- Geotec. 1971b. Mapa fotogeológico de la plancha 285. Escala 1:50 000. In: Ecopetrol, Informe geológico preliminar serranía de La Macarena, unpublished, 52 p. Bogotá.
- Geotec. 1971c. Mapa fotogeológico de la plancha 304. Escala 1:50 000. In: Ecopetrol, Informe geológico preliminar serranía de La Macarena, unpublished, 52 p. Bogotá.
- Geotec. 1971d. Mapa fotogeológico de la plancha 325. Escala 1:50 000. In: Ecopetrol, Informe geológico preliminar serranía de La Macarena, unpublished, 52 p. Bogotá.
- Geotec. 1971e. Mapa fotogeológico de la plancha 326. Escala 1:50 000. In: Ecopetrol, Informe geológico preliminar serranía de La Macarena, inédito, 52 p. Bogotá.
- Geotec. 1971f. Mapa fotogeológico de la plancha 346. Escala 1:50 000. In: Ecopetrol, Informe geológico preliminar serranía de La Macarena, inédito, 52 p. Bogotá.
- Geotec. 1971g. Mapa fotogeológico de la plancha 347. Escala 1:50 000. In: Ecopetrol, Informe geológico preliminar serranía de La Macarena, inédito, 52 p. Bogotá.
- Giunta, G., Beccaluva, L. & Siena, F. 2006. Caribbean Plate margin evolution: Constraints and current problems. *Geologica Acta*, 4(1–2): 265–277.
- Gómez, E., Jordan, T.E., Allmendinger, R.W. & Cardozo, N. 2005a. Development of the Colombian foreland–basin system as a consequence of diachronous exhumation of the northern Andes. *Geological Society of America Bulletin*, 117(9–10): 1272–1292.
- Gómez, E., Jordan, T.E., Allmendinger, R.W., Hegarty, K. & Kelley, S. 2005b. Syntectonic Cenozoic sedimentation in the northern Middle Magdalena Valley basin of Colombia and implications for exhumation of the northern Andes. *Geological Society of America Bulletin*, 117(5–6): 547–569.
- Gómez, E., Jordan, T.E., Allmendinger, R.W., Hegarty, K., Kelley, S. & Heizler, M. 2003. Controls on architecture of the Late Cretaceous to Cenozoic southern Middle Magdalena Valley basin, Colombia. *Geological Society of America Bulletin*, 115(2): 131–147.
- Gómez, J. & Montes, N.E. 2011. Geological Map of Colombia, 2nd edition. XIV Congreso Latinoamericano de Geología y XIII Congreso Colombiano de Geología. Memorias, p. 258–259. Medellín.
- Gómez, J., Galán, B. & Muñoz, G. 2012. Geological Atlas of Colombia. In: Proceedings of the 34th International Geological Congress 2012. Memoirs CD ROM, p. 790. Brisbane, Australia.
- Gómez, J., Nivia, Á. & Montes, N.E. 2009. Geological Map of Colombia. X Simposio Bolivariano Exploración Petrolera en las Cuenca Subandinas. Resúmenes, p. 48. Cartagena.

- Gómez, J., Montes, N.E., Alcárcel, F.A. & Ceballos, J.A. 2015. Catálogo de dataciones radiométricas de Colombia en ArcGIS y Google Earth. In: Gómez, J. & Almanza, M.F. (Editors), Compilando la geología de Colombia: Una visión a 2015. Servicio Geológico Colombiano, Publicaciones Geológicas Especiales 33, p. 63–419. Bogotá.
- Gómez, J., Nivia, Á., Montes, N.E. & Tejada, M.L. 2008. Geological Map of Colombia 2007 as a contribution to the OneGeology Project. In: Proceedings of the 33th International Geological Congress. Memoirs CD ROM, 1 p. Oslo, Norway.
- Gómez, J., Nivia, Á., Montes, N.E., Tejada, M.L., Uribe, H. & Gaona Narváez, T. 2007. El Mapa Geológico de Colombia 2007: Historia, explicación y perspectivas. In: Memorias IX Congreso Geológico Venezolano. Revista Geos, (39): 15. Caracas.
- Gómez, J., Nivia, Á., Jiménez, D.M., Mora, M., Sepúlveda, J., Gaona, T., Velásquez, M.E. & Montes, N.E. 2005. Mapa Geológico de Colombia a escala 1:1 000 000 versión 2005. X Congreso Colombiano de Geología. Resúmenes, p. 121. Bogotá.
- González, H. 2010. Geoquímica, geocronología de las unidades litológicas asociadas al Sistema de Fallas Cauca–Romeral, sector centro-sur, Tomo I. INGEOMINAS, informe interno, 412 p. Medellín.
- Gradstein, F.M., Ogg, J.G., Schmitz, M.D. & Ogg, G.M. 2012. The geologic time scale 2012, 2-Volume Set. Elsevier, 1176 p. Boston, USA.
- Grosse, E. 1926. El Terciario carbonífero de Antioquia. Dietrich Reimer (Editor), 361 p. Berlín.
- Grösser, J.R. & Prössl, K.F. 1991. First evidence of the Silurian in Colombia: Palynostratigraphic data from the Quetame Massif, Cordillera Oriental. Journal of South American Earth Sciences, 4(3): 231–238.
- Gutscher, M., Malavieille, J., Lallemand, S. & Collot, J. 1999. Tectonic segmentation of the North Andean margin: Impact of the Carnegie Ridge collision. Earth and Planetary Science Letters, 168(3–4): 255–270.
- Hardy, N.C. 1991. Tectonic evolution of the easternmost Panamá basin: Some new data and inferences. Journal of South American Earth Sciences, 4(3): 261–269.
- Hey, R. 1977. Tectonic evolution of the Cocos–Nazca spreading center. Geological Society of America Bulletin, 88(10): 1404–1420.
- Horton, B.K., Saylor, J.E., Nie, J., Mora, A., Parra, M., Reyes Harker, A. & Stockli, D.F. 2010. Linking sedimentation in the northern Andes to basement configuration, Mesozoic extension, and Cenozoic shortening: Evidence from detrital zircon U–Pb ages, Eastern Cordillera, Colombia. Geological Society of America Bulletin, 122(9–10): 1423–1442.
- Ibáñez Mejía, M., Ruiz, J., Valencia, V.A., Cardona, A., Gehrels, G.E. & Mora, A.R. 2011. The Putumayo Orogen of Amazonia and its implications for Rodinia reconstructions: New U–Pb geochronological insights into the Proterozoic tectonic evolution of northwestern South America. Precambrian Research, 191(1–2): 58–77.
- IGAC. 2004. Adopción del marco geocéntrico nacional de referencia MAGNA–SIRGAS como datum oficial de Colombia. Instituto Geográfico Agustín Codazzi, 33 p. URL: <http://www.igac.gov.co/wps/wcm/connect/4b831c00469f7616afeebf923ecdf8fe/adopcion.pdf?MOD=AJPERES> (accessed December 2005). Bogotá.
- Kerr, A.C., Marriner, G.F., Tarney, J., Nivia, Á., Saunders, A.D., Thirlwall, M.F. & Sinton, C.W. 1997. Cretaceous basaltic terranes in western Colombia: Elemental, chronological and Sr–Nd isotopic constraints on petrogenesis. Journal of Petrology, 38(6): 677–702.
- Kerr, A.C., Tarney, J., Kempton, P.D., Spadea, P., Nivia, Á., Marriner, G.F. & Duncan, R.A. 2002. Pervasive mantle plume head heterogeneity: Evidence from the late Cretaceous Caribbean–Colombian oceanic plateau. Journal of Geophysical Research, 107(B7): 1–13.
- Kroonenberg, S.B. 1982. A Grenvillian granulite belt in the Colombian Andes and its relation to the Guiana Shield. Geologie in Mijnbouw, 61(4): 325–333.
- Latrubesse, E.M., Cozzuol, M., da Silva Caminha, S.A.F., Rigsby, C.A., Absy, M.L. & Jaramillo, C. 2010. The late Miocene paleogeography of the Amazon basin and the evolution of the Amazon River system. Earth–Science Reviews, 99(3–4): 99–124.
- Leal Mejía, H. 2011. Phanerozoic gold metallogeny in the colombian Andes: A tectono–magmatic approach. Tesis de doctorado, Universidad de Barcelona, 989 p. Barcelona.
- Lonsdale, P. & Klitgord, K.D. 1978. Structure and tectonic history of the eastern Panamá basin. Geological Society of America Bulletin, 89(7): 981–999.
- López, E. & Barrero, D. 2003. Transectas regionales de la corteza superior de Colombia. VIII Simposio Bolivariano Exploración Petrolera en las cuencas subandinas. Asociación Colombiana de Geólogos y Geofísicos del Petróleo, Memorias, II, p. 279–289.
- MacMillan, I., Gans, P.B. & Alvarado, G. 2004. Middle Miocene to present plate tectonic history of the southern Central American Volcanic Arc. Tectonophysics, 392(1–4): 325–348.
- Maya, M. & González, H. 1995. Unidades litodémicas en la cordillera Central de Colombia. INGEOMINAS. Boletín Geológico, 35(2–3): 43–57. Bogotá.
- Martens, U., Restrepo, J.J., Ordóñez Carmona, O. & Correa Martínez, A.M. 2014. The Tahamí and Anacona terranes of the Colombian Andes: Missing links between the South American and Mexican Gondwana margins. The Journal of Geology, 122(5): 507–530.
- McLellan, C.V. 2006. The nature of science and the scientific method. The Geological Society of America, 9 p. URL: <http://www.geosociety.org/educate/NatureScience.pdf> (accessed June 2010).
- Meschede, M. & Frisch, W. 1998. A plate–tectonic model for the Mesozoic and early Cenozoic history of the Caribbean plate. Tectonophysics, 296(3–4): 269–291.
- Mora, A., Gaona Narváez, T., Kley, J., Montoya, D., Parra, M., Quiroz, L.I., Reyes, G. & Strecker, M.R. 2009. The role of inherited extensional fault segmentation and linkage in contractional orogenesis: A reconstruction of Lower Cretaceous inverted rift basins in the Eastern Cordillera of Colombia. Basin Research, 21(1): 91–109.
- Neuendorf, K.K.E., Mehl Jr, J.P. & Jackson, J.A. 2005. Glossary of Geology, 5th edition. American Geological Institute, 800 p. Alexandria, USA.
- Nivia, Á. 1987. Geochemistry and origin of the Amaime and Volcanic Sequences, Southwestern Colombia. Tesis master of philosophy, University of Leicester, 163 p. Leicester, UK.
- Ordóñez Carmona, O. 1997. O Pré-cambriano na parte norte da Cordilheira Central dos Andes colombianos. Tesis de maestría, Universidad de Brasilia, 90 p. Brasilia.
- Ordóñez Carmona, O. 2001. Caracterização isotópica Rb–Sr e Sm–Nd dos principais eventos magmáticos nos Andes Colombianos. Tesis de doctorado, Universidad de Brasilia, 176 p. Brasilia.
- Parra, M., Mora, A., Jaramillo, C., Torres, V., Zeilinger, G. & Strecker, M.R. 2010. Tectonic controls on Cenozoic foreland basin development in the north–eastern Andes, Colombia. Basin Research, 22(6): 874–903.
- Pellé, J.M. 2008. Color codes according to the Commission for the Geological Map of the World (CGMW), side 2. In: Ogg, G., Geologic time scale 2008, 2 sided sheet. International Commission on Stratigraphy and Commission for the Geological Map of the World. París.

- Priem, H.N.A., Kroonenberg, S.B., Boelrijk, N.A.I.M. & Hebeda, E.H. 1989. Rb-Sr and K-Ar evidence for the presence of a 1.6 Ga basement underlying the 1.2 Ga Garzón–Santa Marta granulite belt in the Colombian Andes. *Precambrian Research*, 42(3–4): 315–324.
- Prössl, K.F. & Grösser, J.R. 1995. The age of the Formación Amoyá, Upper Magdalena Valley: Another piece in the Paleozoic stratigraphic puzzle of Colombia. *Newsletters on Stratigraphy*, 32(2): 91–101.
- Protti M., V., González, V., Freymueller, J. & Doelger, S. 2012. Isla del Coco, on Cocos Plate, converges with Isla de San Andrés, on the Caribbean Plate, at 78 mm/yr. *International Journal of Tropical Biology and Conservation*, 60(3): 33–41.
- Reed, J.C. Jr., Wheeler, J.O. & Tucholke, B.E. 2005a. Geologic Map of North America. Escala 1:5 000 000. The Geological Society of America, Decade of North American Geology, 3 sheets. Boulder, USA.
- Reed, J.C. Jr., Wheeler, J.O. & Tucholke, B.E. 2005b. Geologic Map of North America—Perspectives and explanation. The Geological Society of America, Decade of North American Geology, 28 p. Boulder, USA.
- Remane, J., compiler. 2000. Explanatory note to the international stratigraphic chart. International Union of Geological Sciences, 1 plate, 17 p. Trondheim, Norway.
- Restrepo, J.J., Ordóñez Carmona, O., Armstrong, R. & Pimentel, M.M. 2011. Triassic metamorphism in the northern part of the Tahamí Terrane of the Central Cordillera of Colombia. *Journal of South American Earth Sciences*, 32(4): 497–507.
- Restrepo Pace, P.A., Ruiz, J., Gehrels, G.E. & Cosca, M. 1997. Geochronology and Nd isotopic data of Grenville-age rocks in the Colombian Andes: New constraints for late Proterozoic–early Paleozoic paleocontinental reconstructions of the Americas. *Earth and Planetary Science Letters*, 150(3–4): 427–441.
- Restrepo Pace, P.A., Colmenares, F., Higuera, C. & Mayorga, M. 2004. A fold-and-thrust belt along the western flank of the Eastern Cordillera of Colombia. Style, kinematics, and timing constraints derived from seismic data and detailed surface mapping. In: McClay, K.R. (Editor), *Thrust tectonics and hydrocarbon systems*. American Association of Petroleum Geologists, Memorias 82, p. 598–613. Tulsa, USA.
- Sarmiento, L.F. 2001. Mesozoic rifting and Cenozoic basin inversion history of the Eastern Cordillera, Colombian Andes. Inferences from tectonic models. *Tesis de doctorado*, Vrije Universiteit, 295 p. Amsterdam.
- Saylor, J.E., Horton, B.K., Stockli, D.F., Mora, A. & Corredor, J. 2012. Structural and thermochronological evidence for Paleogene basement-involved shortening in the axial Eastern Cordillera, Colombia. *Journal of South American Earth Sciences*, 39(0): 202–215.
- Schobbenhaus, C. & Bellizia, A., compilers. 2001. Mapa geológico de América del Sur. Escala 1:5 000 000. CPRM, CGMW, DNPM & UNESCO. Brasilia.
- Tassinari, C.C.G. & Macambira, M.J.B. 1999. Geochronological provinces of the Amazonian Craton. *Episodes*, 22(3): 174–182.
- Toussaint, J.F. 1993. Evolución geológica de Colombia: Precámbrico–Paleozoico. Universidad Nacional de Colombia, 1, 229 p. Medellín.
- Tschanz, C., Jimeno, A., Cruz, J. et al. 1969. Mapa geológico de reconocimiento de la Sierra Nevada de Santa Marta. Escala 1:200 000. INGEOMINAS. Bogotá.
- USGS. 2002. Shuttle Radar Topography Mission, 3 Arc Second–República de Colombia, Unfilled Unfinished 2.0, Global Land Cover Facility. University of Maryland, February 2000. Maryland, USA.
- Villagómez, D., Spikings, R., Magna, T., Kammer, A., Winkler, W. & Beltrán, A. 2011. Geochronology, geochemistry and tectonic evolution of the Western and Central cordilleras of Colombia. *Lithos*, 125(3–4): 875–896.
- Vinasco, C.J., Cordani, U.G., González, H., Weber, M. & Peláez, C. 2006. Geochronological, isotopic, and geochemical data from Permo-Triassic granitic gneisses and granitoids of the Colombian Central Andes. *Journal of South American Earth Sciences*, 21(4): 355–371.
- Ward, D.E., Goldsmith, R., Cruz, J., Jaramillo, L. & Vargas, R. 1977a. Mapa geológico del cuadrángulo H-13 Pamplona, Colombia. Escala 1:100 000. INGEOMINAS. Bogotá.
- Ward, D.E., Goldsmith, R., Jimeno, A., Cruz, J., Restrepo, H. & Gómez, E. 1977b. Mapa geológico del cuadrángulo H-12 Bucaramanga. Escala 1:100 000. INGEOMINAS. Bogotá.
- Weber, M.B., Cardona, A., Paniagua, F., Cordani, U.G., Sepúlveda, L. & Wilson, R. 2009. The Cabo de La Vela Mafic-Ultramafic Complex, northeastern Colombian Caribbean region: A record of multistage evolution of a Late Cretaceous intra-oceanic arc. In: James, K.H., Lorente, M.A. & Pindell, J.L. (Editors), *The origin and evolution of the Caribbean Plate*. Geological Society of London, Special Publication 328, p. 547–566.
- Weber, M.B., Cardona, A., Valencia, V.A., García Casco, A., Tobón, M. & Zapata, S. 2010. U/Pb detrital zircon provenance from late cretaceous metamorphic units of the Guajira Peninsula, Colombia: Tectonic implications on the collision between the Caribbean arc and the South American margin. *Journal of South American Earth Sciences*, 29(4): 805–816.
- Wessellingh, F.P., Hoorn, M.C., Guerrero, J., Räsänen, M.E., Romero Pittman, L. & Salo, J. 2006. The stratigraphy and regional structure of Miocene deposits in western Amazonia (Peru, Colombia and Brazil), with implications for late Neogene landscape evolution. *Scripta Geologica*, 133: 291–322.
- Zamora, A. & Litherland, M. 1993. Mapa Geológico de la República del Ecuador. Escala 1:1 000 000. Corporación de Desarrollo e Investigación Geológico-Minero Metalúrgica (CODIGEM)–British Geological Survey. Keyworth, Reino Unido.




**Jorge GÓMEZ TAPIAS** is the coordinator of the Geological Map of Colombia Project at Colombian Geological Survey. He is the first author of the Geological Map of Colombia at a scale of 1:1 M and the Geological Atlas of Colombia at a scale of 1:500 K, editions 2007 and 2015. He was appointed since 2010 Secretary General for South America of the Commission for the Geological Map of the World (CGMW) and currently is the co-coordinator for the Geological Map of South America at a scale of 1:5 M and the Geological and Mineral Resources Map of South America at a scale of 1:1 M. He has an extensive experience in Colombian geology, geological mapping, cartographic standards and GIS.



**Álvaro NIVIA GUEVARA** is a senior geologist at the Colombian Geological Survey in Cali. His research activities are concerned with the geodynamic evolution of western Colombia as a result of the accretion of an Upper Cretaceous oceanic plateau to the continental margin and its consequences on both, the latter and the accreted terranes (e.g. generation of an accretionary prism and the resulting deformation and low grade metamorphism). Nowadays, his interest is the understanding of the origin and emplacement mechanisms of the Upper Cretaceous granitoid belt associated to the accretionary margin.



**Nohora Emma MONTES RAMÍREZ** is Geologist and hold a postgraduate degree in Geomatic. Works at the Colombian Geological Survey since 1997, where she has worked in different areas such as neotectonic, geological mapping and regional geology, it is remarkable her works in the paleoseismology of the Ibagué Fault. Since 2005, joined the Geological Map of Colombia Project and so is the co-author of the 2007 and 2015 versions of the Geological Map of Colombia and the Geological Atlas of Colombia. In addition, is co-author of the Geological Map of South America at a scale of 1:5 M and the Geological and Mineral Resources Map of South America at a scale of 1:1 M (in preparation), projects of the Commission for the Geological Map of the World (CGMW).



**Hans DIEDERIX** graduated in structural geology at the University of Leiden, the Netherlands and has worked in mineral exploration in South and East Africa. He has been associated with Colombia since 1979 where he has taught structural geology, photogeology and geological mapping. Presently works as consultant with the Colombian Geological Survey (SGC) where his interest is in neotectonics and paleoseismology for the evaluation of seismic hazard and crustal dynamics of the Northern Andes within the framework of the GEORED Project of satellite geodesy.



**María Fernanda ALMANZA MELÉNDEZ** works at the Geological Map of Colombia Project since 2013, where most of her work is concerned with texts edition, English-Spanish translations and is co-author of the book Manual de publicaciones del SGC. She is Geologist and Master in Geology candidate with the Honor Degree scholarship at the National University of Colombia-Bogotá, where she was Editorial Assistant of the Geología Colombiana Journal in 2012.


Her main interests are research in petrology and Earth Sciences publications.



**Fernando Alirio ALCÁRCEL GUTIÉRREZ** is geologist linked to the Geological Map of Colombia Project since 2012, in which supports research works. He developed and implemented the Google Earth version of the “Radiometric Catalog of Colombia in ArcGIS and Google Earth” and the Geological Map of Colombia 2015. He has experience in geological mapping and has GIS skills.



**César Augusto MADRID MONTOYA** is Geologist, he worked at the Geological Map of Colombia Project from 2008 to 2009, where he worked on the Geological Map of Colombia actualization. Afterwards, he has been made some geological mapping projects such as the compilation of the Geological Map of Perú at a scale of 1:100 000 for Ecopetrol and geological mapping and hydrothermal alterations maps for copper exploration in the Western Cordillera. Since 2014, works for the Geological Map of Colombia Project again and currently is developing the Geological Map of La Linea Tunnel in the Central Cordillera.



## GMC cartographical sources

1. Geister, J. 2002. Mapa geológico de Providencia y Santa Catalina. Scale 1:10 000. INGEOMINAS. Bogotá.
2. Geister, J. 2002. Mapa geológico de San Andrés. Scale 1:20 000. INGEOMINAS. Bogotá.
3. Zuluaga, C.A., Ochoa, A., Muñoz, C.A., Dorado, C.E., Guerrero, N.M., Martínez, A.M., Medina P.A., Ocampo, E.F., Pinilla, A., Ríos, P.A., Rodríguez, B.P., Salazar, E.A. & Zapata, V.L. 2008. Geología de la plancha 2 Puerto Bolívar. Scale 1:100 000. INGEOMINAS & Universidad Nacional de Colombia. Bogotá.
4. Zuluaga, C.A., Ochoa, A., Muñoz, C.A., Dorado, C.E., Guerrero, N.M., Martínez, A.M., Medina, P.A., Ocampo, E.F., Pinilla, A., Ríos, P.A., Rodríguez, B.P., Salazar, E.A. & Zapata, V.L. 2008. Geología de la plancha 3 Puerto Estrella. Scale 1:100 000. INGEOMINAS & Universidad Nacional de Colombia. Bogotá.
5. Zuluaga, C.A., Ochoa, A., Muñoz, C.A., Dorado, C.E., Guerrero, N.M., Martínez, A.M., Medina, P.A., Ocampo, E.F., Pinilla, A., Ríos, P.A., Rodríguez, B.P., Salazar, E.A. & Zapata, V.L. 2008. Geología de la plancha 4 Cardón. Scale 1:100 000. INGEOMINAS & Universidad Nacional de Colombia. Bogotá.
6. Zuluaga, C.A., Ochoa, A., Muñoz, C.A., Dorado, C.E., Guerrero, N.M., Martínez, A.M., Medina, P.A., Ocampo, E.F., Pinilla, A., Ríos, P.A., Rodríguez, B.P., Salazar, E.A. & Zapata, V.L. 2008. Geología de la plancha 5 Bahía Portete. Scale 1:100 000. INGEOMINAS & Universidad Nacional de Colombia. Bogotá.
7. Zuluaga, C.A., Ochoa, A., Muñoz, C.A., Dorado, C.E., Guerrero, N.M., Martínez, A.M., Medina, P.A., Ocampo, E.F., Pinilla, A., Ríos, P.A., Rodríguez, B.P., Salazar, E.A. & Zapata, V.L. 2008. Geología de la plancha 6 Castilletes. Scale 1:100 000. INGEOMINAS & Universidad Nacional de Colombia. Bogotá.
8. Buchelly, F., Melo, L.F., Ríos, P.A. & Ochoa, A. 2009. Geología de las planchas 7 Ranchería-8 Riohacha. Scale 1:100 000. INGEOMINAS, Alma Mater & GRP Ltda. Bogotá.
9. Romero, O., Melo, L.F., Ríos, P.A. & Ochoa, A. 2009. Geología de la plancha 9 Uribia. Scale 1:100 000. INGEOMINAS, Alma Mater & GRP Ltda. Bogotá.
10. Zuluaga, C.A., Ochoa, A., Muñoz, C.A., Dorado, C.E., Guerrero, N.M., Martínez, A.M., Medina, P.A., Ocampo, E.F., Pinilla, A., Ríos, P.A., Rodríguez, B.P., Salazar, E.A. & Zapata, V.L. 2008. Geología de la plancha 10 Rancho Grande. Scale 1:100 000. INGEOMINAS & Universidad Nacional de Colombia. Bogotá.
11. Zuluaga, C.A., Ochoa, A., Muñoz, C.A., Dorado, C.E., Guerrero, N.M., Martínez, A.M., Medina, P.A., Ocampo, E.F., Pinilla, A., Ríos, P.A., Rodríguez, B.P., Salazar, E.A. & Zapata, V.L. 2008. Geología de la plancha 10 bis Rancho Grande. Scale 1:100 000. INGEOMINAS & Universidad Nacional de Colombia. Bogotá.
12. Rodríguez, G. & Londoño, A.C. 2002. Geología del departamento de La Guajira. Scale 1:250 000. INGEOMINAS. Medellín.
13. Castillo, H., Patiño, A., Dávila, C.F., Romero, O., Melo, L.F., Ríos, P.A. & Ochoa, A. 2009. Geología de la plancha 15-15 bis Mai-cao. Scale 1:100 000. INGEOMINAS, Alma Mater & GRP Ltda. Bogotá.
14. Hernández, M. & Clavijo, J. 1998. Geología de la plancha 11 Santa Marta. Scale 1:100 000. INGEOMINAS. Bogotá.
15. Tschanz, C.M., Jimeno, A., Cruz, J. *et al.* 1969. Mapa geológico de reconocimiento de la Sierra Nevada de Santa Marta. Scale 1:200 000. INGEOMINAS. Bogotá.
16. Guzmán, G. 2003. Mapa geológico de Sinú-San Jacinto y borde oeste Valle Inferior Magdalena. Scale 1:300 000. INGEOMINAS. Bogotá.
17. Hernández, M. & Maldonado, I. 1999. Geología de la plancha 18 Ciénaga. Scale 1:100 000. INGEOMINAS. Bogotá.
18. Dávila, C., Lancheros, J.A., López, C. & Romero, O. 2010. Geología de las planchas 21 y 22 Fonseca y Los Remedios. Scale 1:100 000. INGEOMINAS & GRP Ltda. Bogotá.
19. Maldonado, I., Hernández, M., Clavijo, J. & Reyes, G. 1998. Geología de la plancha 25 Fundación. Scale 1:100 000. INGEOMINAS. Bogotá.
20. Dávila, C., Lancheros, J.A., López, C. & Romero, O. 2010. Geología de las planchas 27 Valledupar y 28 Villanueva. Scale 1:100 000. INGEOMINAS & GRP Ltda. Bogotá.
21. Reyes, G. & Clavijo J. 1998. Geología de la plancha 32 Monterrubio. 1:100 000. INGEOMINAS. Bogotá.
22. Dávila, C., Lancheros, J.A. & López, C. 2010. Geología de las planchas 34 Agustín Codazzi y 35 Río Espíritu Santo. Scale 1:100 000. INGEOMINAS & GRP Ltda. Bogotá.
23. Clavijo, J., Reyes, G., Hernández, M. & Royero, J.M. 2000. Geología de la plancha 39 El Difícil. Scale 1:100 000. INGEOMINAS. Bogotá.
24. González, J., Hernández, M. & Clavijo, J. 2002. Geología de la plancha 40 Bosconia. Scale 1:100 000. INGEOMINAS. Bogotá.
25. Arias, A. & Morales, C.J. 1999. Geología del departamento del Cesar. Scale 1:250 000. INGEOMINAS. Bogotá.
26. Valencia, Y.T., Gómez, J., Diederix, H. & Ceballos, J.A. 2014. Mapa geológico de la plancha 45 San Pedro. Scale 1:100 000. Servicio Geológico Colombiano. Bogotá.
27. Clavijo, J., Garnica, M.A. & Royero, J.M. 2002. Geología del departamento de Magdalena. Scale 1:300 000. INGEOMINAS. Bucaramanga.
28. Martínez, H., Hernández, M. & Clavijo, J. 2001. Geología de la plancha 47 Chiriguaná. Scale 1:100 000. INGEOMINAS. Bucaramanga.
29. Hernández, M. & Clavijo, J. 2002. Geología de la plancha 48 La Jagua de Ibirico. Scale 1:100 000. INGEOMINAS. Bucaramanga.
30. Interpretación geológica realizada por el Mapa Geológico de Colombia a partir de imágenes radar INTERA y Landsat TM 4R 5G 7B, y de los DEM con resolución de 30 m elaborados con la información de la SRTM de la NASA.
31. Bernal, L., Clavijo, J., Osorio, J.A., Duarte, R., Mantilla, L.C., Pinto, J., Colegial, J., Prada, D., Cuellar, M., Pérez, A., Páez, L., Nava, G. & Martínez, A. 2006. Geología de la plancha 55 El Banco. Scale 1:100 000. INGEOMINAS & UIS. Bogotá.
32. Clavijo, J. 1997. Mapa geológico generalizado del departamento de Norte de Santander. Scale 1:250 000. INGEOMINAS. Bucaramanga.
33. Servicio Geológico Nacional & COLPET. 1967. Geología del cuadrángulo F-13 Tibú. Scale 1:200 000. Servicio Geológico Nacional. Bogotá.
34. Bernal, L., Ibáñez, D., Castro, E., López, E., Mantilla, L.C., Jiménez, G., Calderón, H., Quintero, I. & Franco, R. 2006. Geología de la plancha 64 Barranco de Loba. Scale 1:100 000. INGEOMINAS & UIS. Bogotá.
35. Royero, J., Clavijo, J., Bernal, L.E. & Barbosa, G. 1994. Geología de la plancha 65 Tamalameque. Scale 1:100 000. INGEOMINAS. Bucaramanga.
36. Daconte, R. & Salinas, R. 1980. Geología de la plancha 66 Miraflores. Scale 1:100 000. INGEOMINAS. Bucaramanga.
37. Rodríguez, G., Zapata, G., Sierra, M.I., Peláez, J.R. & Correa, T. 2010. Geología de la plancha 58 Sapzurro. Scale 1:100 000. INGEOMINAS. Medellín.
38. Rodríguez, G., Zapata, G., Nivia, Á., Sierra, M.I., Peláez, J.R. & Correa, T. 2010. Geología de la plancha 68 Acandí. Scale 1:100 000. INGEOMINAS. Medellín.

39. Londoño, C. & González, H. 1997. Geología del departamento de Córdoba. Scale 1:300 000. INGEOMINAS. Medellín.
40. Clavijo, J., Barbosa, G., Bernal, L.E. *et al.* 1992. Geología de la plancha 75 Aguachica. Scale 1:100 000. INGEOMINAS. Bucaramanga.
41. Daconte, R. & Salinas, R. 1980. Geología de la plancha 76 Ocaña. Scale 1:100 000. INGEOMINAS. Bucaramanga.
42. Rodríguez, G., Zapata, G., Sierra, M.I., Peláez, J.R. & Correa, T. 2010. Geología de la plancha 79 bis Unguía. Scale 1:100 000. INGEOMINAS. Medellín.
43. Rodríguez, G., Bermúdez, J., Zapata, G., Ramos, K., Ramírez, C., Arango, M.I. & Sepúlveda, M.J. 2012. Mapa geológico de la plancha 82 Montelíbano. Scale 1:100 000. Servicio Geológico Colombiano. Bogotá.
44. González, H. 1999. Geología del departamento de Antioquia. Scale 1:400 000. INGEOMINAS. Medellín.
45. Bernal, L., Clavijo, J., Osorio, J.A., Duarte, R., Mantilla, L.C., Pinto, J., Caballero, V., Quintero, I., Franco, R., Jiménez, G., Pérez, L. & Nava, G. 2006. Geología de la plancha 85 Simití. Scale 1:100 000. INGEOMINAS & UIS. Bogotá.
46. Vargas, R. & Arias, A. 1981. Geología de la plancha 86 Ábrego. Scale 1:100 000. INGEOMINAS. Bucaramanga.
47. Servicio Geológico Nacional & COLPET. 1967. Geología del cuadrángulo G-13 Cúcuta. Scale 1:200 000. Servicio Geológico Nacional. Bogotá.
48. Zapata, G. & Cossío, U. 1999. Geología de la plancha 93 Cáceres. Scale 1:100 000. INGEOMINAS. Medellín.
49. Bernal, L., Clavijo, J., Castro, E., Ibáñez, D., Celada, C., Gómez, E., Mantilla, L.C., Prada, D., Cuellar, M., Calderón, H., Pérez, A., Pérez, L. & Martínez, A. 2006. Geología de la plancha 96 Bocas del Rosario. Scale 1:100 000. INGEOMINAS & UIS. Bogotá.
50. Vargas, R. & Arias, A. 1981. Geología de la plancha 97 Cáchira. Scale 1:100 000. INGEOMINAS. Bucaramanga.
51. Fuquen, J.A., Ceballos, L., Pedraza, A. & Marín, E. 2010. Geología de la plancha 98 Durania. Scale 1:100 000. INGEOMINAS. Bogotá.
52. Fuquen, J.A., Ceballos, L., Pedraza, A. & Marín, E. 2010. Geología de la plancha 99 Villa del Rosario. Scale 1:100 000. INGEOMINAS. Bogotá.
53. Álvarez, J., Rico, H., Vásquez, H., Hall, R. & Blade, L. 1975. Geological map of the Yarumal quadrangle (H-8) and part of the Ituango quadrangle (H-7), Colombia. Scale 1:100 000. INGEOMINAS. Bogotá.
54. González, H. 1988. Geología de la plancha 106 Liberia. Scale 1:100 000. INGEOMINAS. Bogotá.
55. Gavidia, O.A., Porras, J.J., Pacheco, S., Pérez, O.G., Mesa, L.D., Neita, C.A., Fuquen, J.A., Farfán, L.E. & Fonseca, H.A. 2012. Geología de la plancha 108 Puerto Wilches. Scale 1:100 000. Servicio Geológico Colombiano & Universidad Pedagógica y Tecnológica de Colombia. Bogotá.
56. Ward, D.E., Goldsmith, R., Jimeno, A., Cruz, J., Restrepo, H. & Gómez, E. 1977. Mapa geológico del cuadrángulo H-12 Bucaramanga. Scale 1:100 000. INGEOMINAS. Bogotá.
57. Ward, D.E., Goldsmith, R., Cruz, J., Jaramillo, L. & Vargas, R. 1977. Mapa geológico del cuadrángulo H-13 Pamplona, Colombia. Scale 1:100 000. INGEOMINAS. Bogotá.
58. Téllez, N. 1978. Geología del área de Labateca-Ragonvalia (cordillera Oriental de Colombia, S. A.). Universidad Industrial de Santander. Boletín de Geología, 11(26): 5–37. Bucaramanga.
59. Royero, J.M., Zambrano, J., Daconte, R., Mendoza, H. & Vargas, R. 1999. Geología de la plancha 111 Toledo. Scale 1:100 000. INGEOMINAS. Bucaramanga.
60. INGEOMINAS & IGAC. 2005. Geología de la plancha 112 bis Juradó. Scale 1:100 000. INGEOMINAS. Bogotá.
61. Dávila, C.F., Romero, O.A., Castillo, H., Patiño, A., Martínez, M. & García, D. 2008. Cartografía geológica y muestreo geoquímico en las planchas 113, 114, 128, 129, 144 y 145. Scale 1:100 000. INGEOMINAS & GRP Ltda. Bogotá.
62. Rodríguez, G., Zapata, G. & Gómez, J.F. 2010. Geología de la plancha 114 Dabeiba. Scale 1:100 000. INGEOMINAS. Medellín.
63. Feininger, T., Barrero, D., Castro, N., Ramírez, O., Lozano, H. & Vesga, J. 1975. Geologic map of Eastern Antioquia Department, Colombia, quadrangle I-9, and parts of quadrangles H-9, H-10, I-10, J-9, and J-10, Sheet 1. Scale 1:100 000. INGEOMINAS & USGS. Bogotá.
64. Gómez, L.A., Patiño, A., Renzoni, G., Beltrán, A., Quintero, C. & Manrique, M. 2008. Cartografía geológica y muestreo geoquímico escala 1:100 000 de la plancha 119 Barrancabermeja VMM. Scale 1:100 000. INGEOMINAS & GRP Ltda. Bogotá.
65. Gómez, J., Montes, N.E., Ceballos, J.A., Hernández, J.S., Clavijo, J., Aldana, S. & León, K. 2014. Mapa Geológico de la plancha 120 Zapatoca. Scale 1:100 000. Servicio Geológico Colombiano. Bogotá.
66. Daconte, R. & Salinas, R. 1982. Geología de la plancha 122 Río Cubugón. Scale 1:100 000. INGEOMINAS. Bucaramanga.
67. Acosta, J., Solano, O. & Rodríguez, A. 1999. Geología del departamento de Boyacá. Scale 1:250 000. INGEOMINAS. Bogotá.
68. Reyes, G. & Cardozo, A.M. 1999. Geología del departamento de Arauca. Scale 1:250 000. INGEOMINAS. Bogotá.
69. Lancheros, J.A., López, C., Dávila, C., González, F., Parra, E., Chaquea, C., Espinel, V. & Ojeda, C. 2010. Mapa geológico de la plancha 124 Arauquita. Scale 1:100 000. INGEOMINAS & GRP Ltda. Bogotá.
70. Lancheros, J.A., López, C., Dávila, C., González, F., Parra, E., Chaquea, C., Espinel, V. & Ojeda, C. 2010. Mapa geológico de la plancha 125 Arauca. Scale 1:100 000. INGEOMINAS & GRP Ltda. Bogotá.
71. Lancheros, J.A., López, C., Dávila, C., González, F., Chaquea, C., Espinel, V. & Ojeda, C. 2010. Mapa geológico de la plancha 126–126 bis Feliciano. Scale 1:100 000. INGEOMINAS & GRP Ltda. Bogotá.
72. González, M. & Cossío, U. 2002. Geología de la plancha 127 Cupica. Scale 1:100 000. INGEOMINAS. Medellín.
73. Cossío, U. & Zapata, G. 2002. Geología de la plancha 128 Murrí. Scale 1:100 000. INGEOMINAS. Medellín.
74. González, H. & Londoño, A. 2002. Geología de la plancha 129 Cañasgordas. Scale 1:100 000. INGEOMINAS. Medellín.
75. Mejía, M., Álvarez, E., González, H. & Grosse, E. 1983. Mapa geológico preliminar, plancha 130 Santa Fe de Antioquia. Scale 1:100 000. INGEOMINAS. Medellín.
76. Albarracín, H.A., Nivia, Á., Salazar, G., Sepúlveda, M.J., Sepúlveda, L.P., Rodríguez, G. & Zapata, G. 2010. Geología de la plancha 131 Santa Rosa de Osos. Scale 1:100 000. INGEOMINAS. Bogotá.
77. Gavidia, O.A., Porras, J.J., Pérez, O.G., Pacheco, S., Mesa, L.D., Talero, C., Fuquen, J.A., Farfán, L.E. & Fonseca, H.A. 2012. Geología de la plancha 133 Puerto Berrio. Scale 1:100 000. Servicio Geológico Colombiano & Universidad Pedagógica y Tecnológica de Colombia. Bogotá.
78. Gómez, L.A., Patiño, A., Lancheros, J.A., Guerra, A., Renzoni, G., Beltrán, A., Quintero, C. & Manrique, M. 2009. Cartografía geológica y muestreo geoquímico escala 1:100 000 de la plancha 134 Puerto Parra VMM. Scale 1:100 000. INGEOMINAS & GRP. Bogotá.

79. Pulido, O. 1979. Mapa geológico preliminar, plancha 135 San Gil. Scale 1:100 000. INGEOMINAS. Bogotá.
80. Vargas, R., Arias, A., Jaramillo, L. & Téllez, N. 1976. Mapa geológico preliminar, plancha 136 Málaga. Scale 1:100 000. INGEOMINAS. Bogotá.
81. Fabre, A., Osorio, M., Vargas, R. *et al.* 1982. Mapa geológico preliminar, plancha 137 El Cocuy. Scale 1:100 000. INGEOMINAS. Bogotá.
82. Lancheros, J.A., López, C., Dávila, C., González, F., Chaquea, C., Espinel, V. & Ojeda, C. 2010. Mapa geológico de la plancha 139 Betoyes. Scale 1:100 000. INGEOMINAS & GRP Ltda. Bogotá.
83. Lancheros, J.A., López, C., Dávila, C., González, F., Chaquea, C., Quiñones, C., Espinel, V. & Ojeda, C. 2010. Mapa geológico de la plancha 140 Río Ele. Scale 1:100 000. INGEOMINAS & GRP Ltda. Bogotá.
84. González, M. 2002. Geología de la plancha 143 Bahía Solano. Scale 1:100 000. INGEOMINAS. Medellín.
85. Cossio, U. 2002. Geología de la plancha 144 Río Tagachí. Scale 1:100 000. INGEOMINAS. Medellín.
86. González, H. 2002. Geología de la plancha 145 Urrao. Scale 1:100 000. INGEOMINAS. Medellín.
87. Mejía, M., Álvarez, E., González, H. & Grossé, E. 1983. Mapa geológico preliminar, plancha 146 Medellín Occidental. Scale 1:100 000. INGEOMINAS. Medellín.
88. Rodríguez, G., Zapata, G., González, H. & Cossio, U. 2005. Mapa geológico plancha 147 Medellín Oriental. Scale 1:50 000. INGEOMINAS. Bogotá.
89. Feininger, T., Barrero, D., Castro, N., Ramírez, O., Lozano, H. & Vega, J. 1975. Geologic map of Eastern Antioquia Department, Colombia, quadrangle I-9, and parts of quadrangles H-9, H-10, I-10, J-9, and J-10, Sheet 2. Scale 1:100 000. INGEOMINAS & USGS. Bogotá.
90. Gómez, L.A., Quintero, C., Patiño, A., Beltrán, A., López, C., Lancheros, J.A., Renzoni, G. & Manrique, M. 2009. Cartografía geológica y muestreo geoquímico escala 1:100 000 de la plancha 149 Puerto Serviez VMM. Scale 1:100 000. INGEOMINAS & GRP. Bogotá.
91. Gómez, L.A., Lancheros, J.A., López, C., Patiño, A., Beltrán, A., Renzoni, G., Guerra, A. & Quintero, C. 2008. Cartografía geológica y muestreo geoquímico escala 1:100 000 de la plancha 150 Cimitarra VMM. Scale 1:100 000. INGEOMINAS & GRP. Bogotá.
92. Pulido, O. 1985. Mapa geológico preliminar, plancha 151 Charalá. Scale 1:100 000. INGEOMINAS. Bogotá.
93. Vargas, R., Arias, A., Jaramillo, L. & Téllez, N. 1976. Mapa geológico de la plancha 152 Soatá. Scale 1:100 000. INGEOMINAS. Bogotá.
94. Fabre, A., Osorio, M., Vargas, R. *et al.* 1983. Mapa geológico preliminar, plancha 153 Chita. Scale 1:100 000. INGEOMINAS. Bogotá.
95. López, C., Dávila, C., González, F., Chaquea, C., Espinel, V., Ojeda, C., Lancheros, J.A. & Quiñones, C. 2011. Geología de la plancha 155 Puerto Rondón. Scale 1:100 000. INGEOMINAS & GRP Ltda. Bogotá.
96. López, C., Dávila, C., González, F., Chaquea, C., Espinel, V., Ojeda, C., Lancheros, J.A., Quiñones, C. & Gómez, L.A. 2011. Geología de la plancha 156 Río Casanare. Scale 1:100 000. INGEOMINAS & GRP Ltda. Bogotá.
97. López, C., Dávila, C., González, F., Chaquea, C., Espinel, V., Ojeda, C., Lancheros, J.A. & Quiñones, C. 2011. Geología de la plancha 157 Cravo Norte. Scale 1:100 000. INGEOMINAS & GRP Ltda. Bogotá.
98. Ochoa, A., Rincón, H.D., Melo, L.F., Giraldo, D. & Ríos, P.A. 2012. Geología de la plancha 159 La Culebra. Scale 1:100 000. INGEOMINAS. Bogotá.
99. Ochoa, A., Cardozo, A.M., Cubides, J.V., Zárate, A., Rincón, H.D., Giraldo, D., Melo, L.F., Parra, L.G. & Ríos, P.A. 2012. Geología de la plancha 160 La Venturosa. Scale 1:100 000. INGEOMINAS. Bogotá.
100. Ochoa, A., Cardozo, A.M., Cubides, J.V., Zárate, A., Rincón, H.D., Giraldo, D., Melo, L.F., Parra, L.G. & Ríos, P.A. 2012. Geología de la plancha 161 Puerto Murillo. Scale 1:100 000. INGEOMINAS. Bogotá.
101. Ochoa, A., Cardozo, A.M., Cubides, J.V., Melo, L.F. & Zárate, A. 2009. Geología de la plancha 162 San Rafael. Scale 1:100 000. INGEOMINAS. Bogotá.
102. Ochoa, A., Cardozo, A.M., Cubides, J.V., Melo, L.F. & Zárate, A. 2009. Geología de la plancha 162 bis Puerto Carreño. Scale 1:100 000. INGEOMINAS. Bogotá.
103. Zapata, G. 2002. Geología de la plancha 163 Nuquí. Scale 1:100 000. INGEOMINAS. Medellín.
104. González, M. 2002. Geología de la plancha 164 Quibdó. Scale 1:100 000. INGEOMINAS. Medellín.
105. Calle, B., Salinas, R. *et al.* 1984. Geología de la plancha 165 Carmen de Atrato. Scale 1:100 000. INGEOMINAS. Medellín.
106. Arboleda, G., Celada, C., Forero, S., Padilla, J.C., Montealegre, V. & Carmona, J. 2008. Geología de la plancha 165 Carmen de Atrato. Scale 1:100 000. INGEOMINAS & UT AGS-GE. Bogotá.
107. Calle, B., González, H., De La Peña, R., Escorze, E., Durango, J. *et al.* 1980. Mapa geológico preliminar, plancha 166 Jericó. Scale 1:100 000. INGEOMINAS. Medellín.
108. González, H., Agudelo, S., Calle, B. *et al.* 1980. Geología de la plancha 167 Sonsón. Scale 1:100 000. INGEOMINAS. Medellín.
109. Pérez, A., Quintero, I., Ramírez, J.C., Páez, L. & Montoya, D. 2008. Geología de la plancha 169 Puerto Boyacá. Scale 1:100 000. INGEOMINAS. Bogotá.
110. Reyes, G., Montoya, D., Terraza, R. & Mayorga, M. 2006. Geología del cinturón esmeraldífero occidental. Scale 1:100 000. INGEOMINAS. Bogotá.
111. Ulloa, C. & Rodríguez, E. 1978. Mapa geológico preliminar, plancha 170 Vélez. Scale 1:100 000. INGEOMINAS. Bogotá.
112. Renzoni, G. & Rosas, H. 1967. Geología de la plancha 171 Duitama. Scale 1:100 000. INGEOMINAS. Bogotá.
113. Velandia, F. & Cepeda, H. 2003. Geología sector sur del municipio de Paipa (Boyacá), planchas 171 y 191. Scale 1:25 000 INGEOMINAS. Bogotá.
114. Ulloa, C., Guerra, A. & Escobar, R. 1998. Geología de la plancha 172 Paz del Río. Scale 1:100 000. INGEOMINAS. Bogotá.
115. Suárez, M. 1985. Interpretación fotogeológica de la plancha 174 Paz de Ariporo. INGEOMINAS, unpublished report 1964, 49 p. Bogotá.
116. López, C., Dávila, C., González, F., Chaquea, C., Espinel, V., Ojeda, C., Lancheros, J.A. & Quiñones, C. 2011. Geología de la plancha 175 Chapa. Scale 1:100 000. INGEOMINAS & GRP Ltda. Bogotá.
117. Lancheros, J.A., López, C., Dávila, C., González, F., Chaquea, C., Quiñones, C., Espinel, V. & Ojeda, C. 2011. Geología de la plancha 176 El Morichal. Scale 1:100 000. INGEOMINAS & GRP Ltda. Bogotá.
118. Ochoa, A., Cardozo, A.M., Cubides, J.V., Zárate, A., Rincón, H.D., Giraldo, D., Melo, L.F., Parra, L.G. & Ríos, P.A. 2012. Geología de la plancha 179 Río Bita. Scale 1:100 000. INGEOMINAS. Bogotá.
119. Ochoa, A., Cardozo, A.M., Cubides, J.V., Zárate, A., Rincón, H.D., Giraldo, D., Melo, L.F., Parra, L.G. & Ríos, P.A. 2011. Geología de la plancha 180 Río Bita (sabanas de Carroquemado). Scale 1:100 000. INGEOMINAS. Bogotá.

- 120.** Ochoa, A., Cardozo, A.M., Cubides, J.V., Zárate, A., Rincón, H.D., Giraldo, D., Melo, L.F., Parra, L.G. & Ríos, P.A. 2011. Geología de la plancha 181 Río Bita (sabanas de Carroquemado). Scale 1:100 000. INGEOMINAS. Bogotá.
- 121.** Ochoa, A., Cardozo, A.M., Cubides, J.V., Melo, L.F. & Zárate, A. 2009. Geología de la plancha 182 Casuarito. Scale 1:100 000. INGEOMINAS. Bogotá.
- 122.** Ochoa, A., Cardozo, A.M., Cubides, J.V., Melo, L.F. & Zárate A. 2009. Geología de la plancha 182 bis Isla del Pato. Scale 1:100 000. INGEOMINAS. Bogotá.
- 123.** Zapata, G. 2002. Geología de la plancha 183 Coquí. Scale 1:100 000. INGEOMINAS. Medellín.
- 124.** Zapata, G. 2002. Geología de la plancha 184 Lloró. Scale 1:100 000. INGEOMINAS. Medellín.
- 125.** Calle, B. & Salazar, G. 1999. Geología de la plancha 185 Bagadó. Scale 1:100 000. INGEOMINAS. Medellín.
- 126.** Arboleda, G., Celada, C., Forero, S., Padilla, J.C., Montealegre, V. & Carmona, J. 2008. Geología de la plancha 185 Bagadó. Scale 1:100 000. INGEOMINAS & UT AGS-GE. Bogotá.
- 127.** Calle, B., González, H., De La Peña, R., Escorce, E., Durango, J. *et al.* 1980. Mapa geológico preliminar, plancha 186 Riosucio. Scale 1:100 000. INGEOMINAS. Medellín.
- 128.** González, H., Agudelo, S., Calle, B. *et al.* 1980. Geología de la plancha 187 Salamina. Scale 1:100 000. INGEOMINAS. Medellín.
- 129.** Barrero, D. & Vesga, C. 1976. Mapa geológico del cuadrángulo K-9 Armero y parte sur del J-9 La Dorada. Scale 1:100 000. INGEOMINAS. Ibagué.
- 130.** Restrepo Pace, P.A., Colmenares, F., Higuera, C. & Mayorga, M. 2004. A fold-and-thrust belt along the western flank of the Eastern Cordillera of Colombia. Style, kinematics, and timing constraints derived from seismic data and detailed surface mapping. In: McClay, K.R. (Editor), Thrust tectonics and hydrocarbon systems. American Association of Petroleum Geologists, Memoir 82, p. 598–613. Tulsa, Oklahoma.
- 131.** Terraza, R., Reyes, G., Montoya, D., Pérez, A., Moreno, G., Fuquen, J.A., Quintero, I., Ramírez, J.C., Páez, L.A. & Mayorga, M. 2008. Geología de la plancha 189 La Palma. Scale 1:100 000. INGEOMINAS. Bogotá.
- 132.** Fuquen, J.A. & Osorno, J.F. 2005. Geología de la plancha 190 Chiquinquirá. Scale 1:100 000. INGEOMINAS. Bogotá.
- 133.** Renzoni, G., Rosas, H., Etayo Serna, F. *et al.* 1967. Geología de la plancha 191 Tunja. Scale 1:100 000. INGEOMINAS. Bogotá.
- 134.** Ulloa, C., Rodríguez, E. & Escobar, R. 1998. Geología de la plancha 192 Laguna de Tota. Scale 1:100 000. INGEOMINAS. Bogotá.
- 135.** Renzoni, G. 1985. Geología de la plancha 193 Yopal. Scale 1:100 000. INGEOMINAS. Bogotá.
- 136.** UPTC. 2008. Mapa geológico de la plancha 194 Sector Nunchía. Scale 1:100 000. INGEOMINAS & UPTC. Bogotá.
- 137.** Vargas, D.R., Zafra, C.J. & Rey, J.A. 2010. Mapa geológico de la plancha 194 San Luis de Palenque. Scale 1:100 000. INGEOMINAS & UIS. Bogotá.
- 138.** Carrillo, E.J., Romero, F.A. & Bojacá, J.L. 2012. Geología de la plancha 195 Bélgica. Scale 1:100 000. Servicio Geológico Colombiano. Bogotá.
- 139.** Carrillo, E.J., Romero, F.A., Bojacá, J.L. & Torres, A.R. 2012. Geología de la plancha 196 Río Guachiría. Scale 1:100 000. Servicio Geológico Colombiano. Bogotá.
- 140.** Ochoa, A., Cubides, J.V., Cardozo, A.M., Ríos, P.A., Rodríguez, J., Oviedo, J.A. & García, G.D. 2012. Geología de la plancha 199 Caño Terecay. Scale 1:100 000. Servicio Geológico Colombiano. Bogotá.
- 141.** Ochoa, A., Cubides, J.V., Cardozo, A.M., Ríos, P.A., Rodríguez, J., Oviedo, J.A., Mayorga, S.A. & García, G.D. 2012. Geología de la plancha 200 Río Tomo. Scale 1:100 000. Servicio Geológico Colombiano. Bogotá.
- 142.** Ochoa, A., Cubides, J.V., Cardozo, A.M., Ríos, P.A., Rodríguez, J., Oviedo, J.A., Mayorga, S.A. & García, G.D. 2012. Geología de la plancha 201 Río Tomo. Scale 1:100 000. Servicio Geológico Colombiano. Bogotá.
- 143.** Ochoa, A., Cubides, J.V., Mayorga, S.A., Ríos, P.A., Rodríguez, J., Oviedo, J.A., García, G.D. & Cardozo, A.M. 2012. Geología de la plancha 201 bis Garcitas. Scale 1:100 000. Servicio Geológico Colombiano. Bogotá.
- 144.** Salazar, G. 2000. Geología de la plancha 202 Pilizá. Scale 1:100 000. INGEOMINAS. Medellín.
- 145.** Cossio, U. 2002. Geología de la plancha 203 Istmina. Scale 1:100 000. INGEOMINAS. Medellín.
- 146.** Zapata, G. & Cossio, U. 1999. Geología de la plancha 204 Pueblo Rico. Scale 1:100 000. INGEOMINAS. Medellín.
- 147.** Estrada, J.J. & Viana, R. 1998. Geología de la plancha 205 Chinchiná. Scale 1:100 000. INGEOMINAS. Medellín.
- 148.** Mosquera, D., Marín, P., Vesga, C. & González, H. 1998. Geología de la plancha 206 Manizales. Scale 1:100 000. INGEOMINAS. Ibagué.
- 149.** Ulloa, C., Acosta, J.E. *et al.* 1998. Geología de la plancha 208 Villeta. Scale 1:100 000. INGEOMINAS. Bogotá.
- 150.** Montoya, D. & Reyes, G. 2003. Geología de la plancha 209 Zipaquirá. Scale 1:100 000. INGEOMINAS. Bogotá.
- 151.** Terraza, R., Moreno, G., Buitrago, J.A., Pérez, A. & Montoya, D. 2010. Geología de la plancha 210 Guateque. Scale 1:100 000. INGEOMINAS. Bogotá.
- 152.** Ulloa, C., Rodríguez, E. *et al.* 1976. Mapa geológico de la plancha 211 Tauramena. Scale 1:100 000. INGEOMINAS. Bogotá.
- 153.** UPTC. 2008. Mapa geológico de la plancha 212. Sector Yopal-Aguazul. Scale 1:100 000. INGEOMINAS & UPTC. Bogotá.
- 154.** Toloza, S.J., Reátega, G. & Torres, D.A. 2010. Mapa geológico de la plancha 212 Aguazul. Scale 1:100 000. INGEOMINAS & UIS. Bogotá.
- 155.** Zafra, C.J., Vargas, D.R., Rey, J.A. & Torres, D.A. 2010. Mapa geológico de la plancha 213 Río Cravo Sur. Scale 1:100 000. INGEOMINAS & UIS. Bogotá.
- 156.** Zafra, C.J., Vargas, D.R., Rey, J.A. & Torres, D.A. 2010. Mapa geológico de la plancha 214 Río Puerto. Scale 1:100 000. INGEOMINAS & UIS. Bogotá.
- 157.** Zafra, C.J., Vargas, D.R., Rey, J.A. & Torres, D.A. 2010. Mapa geológico de la plancha 215 Santa Rosalía. Scale 1:100 000. INGEOMINAS & UIS. Bogotá.
- 158.** Mojica, P.E., Navas, O. & García, E. 1985. Interpretación de rasgos geológicos preliminar de imagen Landsat TM del área de Puerto Carreño-bajo Meta. Scale 1:300 000. INGEOMINAS, unpublished. Bogotá.
- 159.** Salazar, G. 2002. Geología de la plancha 221 Pizarro. Scale 1:100 000. INGEOMINAS. Medellín.
- 160.** Cossio, U. 2002. Geología de la plancha 222 Sipí. Scale 1:100 000. INGEOMINAS. Medellín.
- 161.** Parra, E. *et al.* 1983. Mapa geológico preliminar, plancha 223 El Cairo. Scale 1:100 000. INGEOMINAS. Medellín.
- 162.** Caballero, H., Zapata, G. *et al.* 1983. Mapa geológico preliminar, plancha 224 Pereira. Scale 1:100 000. INGEOMINAS. Medellín.
- 163.** Mosquera, D., Marín, P., Vesga, C. & González, H. 1998. Geología de la plancha 225 Nevado del Ruiz. Scale 1:100 000. INGEOMINAS. Ibagué.

- 164.** Cortés, M. 2004. Evolution structurale du front centre–occidental de la Cordillère Orientale de Colombie. Tesis de doctorado, Université Pierre et Marie Curie, 331 p. París.
- 165.** Ulloa, C., Rodríguez, E. & Acosta, J.E. 1998. Geología de la plancha 227 La Mesa. Scale 1:100 000. INGEOMINAS. Bogotá.
- 166.** Buitrago, J.A. & Terraza, R. 2008. Geología de la plancha 228 Bogotá Noreste. Scale 1:100 000. INGEOMINAS. Bogotá.
- 167.** Terraza, R., Montoya, D., Reyes, G., Moreno, G. & Fuquen, J.A. 2008. Geología del cinturón esmeraldífero oriental, planchas 210, 228 y 229. Scale 1:100 000. INGEOMINAS. Bogotá.
- 168.** Ulloa, C., Camacho, G., Escovar, R. *et al.* 1975. Mapa geológico del cuadrángulo K-12 Guateque. Scale 1:100 000. INGEOMINAS. Bogotá.
- 169.** UPTC. 2008. Mapa geológico de la plancha 230. Sector Monterrey–Tauramena. Scale 1:100 000. INGEOMINAS & UPTC. Bogotá.
- 170.** UPTC. 2008. Mapa geológico de la plancha 231. Sector Maní. Scale 1:100 000. INGEOMINAS & UPTC. Bogotá.
- 171.** Vargas, D.R. 2010. Mapa geológico de la plancha 231 Maní. Scale 1:100 000. INGEOMINAS & UIS. Bogotá.
- 172.** Reátilga, G., Vargas, D.R., Torres, D.A. & Zafra, C.J. 2010. Mapa geológico de la plancha 232 Guafalpintado. Scale 1:100 000. INGEOMINAS & UIS. Bogotá.
- 173.** Reátilga, G. & Tolosa, S.J. 2010. Mapa geológico de la plancha 233 Orocué. Scale 1:100 000. INGEOMINAS & UIS. Bogotá.
- 174.** Geophoto Services, Inc. 1969. Geologic map of llanos area. Scale 1:50 000. Bogotá.
- 175.** Montoya, D. 2002. Geología de la plancha 240 Pichimá. Scale 1:100 000. INGEOMINAS. Medellín.
- 176.** Montoya, D. 2002. Geología de la plancha 241 Cucurrupí. Scale 1:100 000. INGEOMINAS. Medellín.
- 177.** Nivia, Á., Galvis, N. & Maya, M. 1992. Geología de la plancha 242 Zarzal. Scale 1:100 000. INGEOMINAS. Cali.
- 178.** McCourt, W.J., Mosquera, D., Nivia, Á. & Núñez, A. 1984. Mapa geológico preliminar, plancha 243 Armenia. Scale 1:100 000. INGEOMINAS. Cali.
- 179.** Mosquera, D., Núñez, A. & Vesga, C.J. 1982. Mapa geológico preliminar, plancha 244 Ibagué. Scale 1:100 000. INGEOMINAS. Ibagué.
- 180.** Acosta, J., Guatame, R., Torres, O. & Solano, F. 1999. Geología de la plancha 245 Girardot. Scale 1:100 000. INGEOMINAS. Bogotá.
- 181.** Cáceres, C., Etayo Serna, F., Llinás, R., Rubiano, M. & Pérez, L.J. 1973. Mapa geológico del cuadrángulo L-10 Fusagasugá. Scale 1:50 000. Universidad Nacional de Colombia & INGEOMINAS. Bogotá.
- 182.** Patiño, A., Fuquen, J.A., Ramos, J., Pedraza, A., Ceballos, L., Pinzón, L., Jerónimo, Y., Álvarez, L. & Torres, A. 2011. Geología de la plancha 247 Bogotá Sur Este (Cáqueza). Scale 1:100 000. INGEOMINAS. Bogotá.
- 183.** Segovia, A. & Renzoni, G. 1965. Geología del cuadrángulo L-12 Medina. Scale 1:200 000. INGEOMINAS. Bogotá.
- 184.** Duarte, R., Moreno, M., Morales, C.J. & Villegas, H. 2010. Geología de la plancha 248 Cumalar. Scale 1:100 000. INGEOMINAS. Bogotá.
- 185.** Duarte, R., Moreno, M., Morales, C.J., Téllez, M. & Villegas, H. 2010. Geología de la plancha 249 Cabuyaro. Scale 1:100 000. INGEOMINAS & UPTC. Bogotá.
- 186.** Duarte, R., Moreno, M., Morales, C.J., Téllez, M. & Villegas, H. 2010. Geología de la plancha 250 Chaviva. Scale 1:100 000. INGEOMINAS & UPTC. Bogotá.
- 187.** Duarte, R., Moreno, M., Morales, C.J. & Téllez, M. 2010. Geología de la plancha 251 Puerto Gaitán. Scale 1:100 000. INGEOMINAS & UPTC. Bogotá.
- 188.** Duarte, R., Moreno, M., Morales, C.J., Téllez, M., Alvarado, S., Pacheco, S. & Rojas, N. 2010. Geología de la plancha 252 Cananea. Scale 1:100 000. INGEOMINAS. Bogotá.
- 189.** Salazar, A., Vargas, M., Gómez, E., Ramírez, J.C., Quintero, I., Madero, H., Pelayo, Y., Bulla, M., Alzate, C., Másmela, O. & Espinel, V. 2012. Geología de la plancha 253 Guacamayas. Scale 1:100 000. Servicio Geológico Colombiano & Georesources Exploration S.A.S. Bogotá.
- 190.** Salazar, A., Vargas, M., Gómez, E., Ramírez, J.C., Quintero, I., Madero, H., Pelayo, Y., Bulla, M., Alzate, C., Másmela, O. & Espinel, V. 2012. Geología de la plancha 254 San José de Ocuné. Scale 1:100 000. Servicio Geológico Colombiano & Georesources Exploration S.A.S. Bogotá.
- 191.** Salazar, A., Vargas, M., Gómez, E., Ramírez, J.C., Quintero, I., Madero, H., Pelayo, Y., Bulla, M., Alzate, C., Másmela, O. & Espinel, V. 2012. Geología de la plancha 255 Cumaribo. Scale 1:100 000. Servicio Geológico Colombiano & Georesources Exploration S.A.S. Bogotá.
- 192.** Montoya, D. 2002. Geología de la plancha 259 Malaguita. Scale 1:100 000. INGEOMINAS. Medellín.
- 193.** Montoya, D. 2002. Geología de la plancha 260 Aguas Claras. Scale 1:100 000. INGEOMINAS. Medellín.
- 194.** Rodríguez, G., Zapata, G. & Gómez, J.F. 2010. Geología de la plancha 261 Tuluá. Scale 1:100 000. INGEOMINAS. Medellín.
- 195.** De Armas, M. 1984. Mapa geológico preliminar, plancha 261 Tuluá. Scale 1:100 000. INGEOMINAS. Cali.
- 196.** McCourt, W.J. 1984. Mapa geológico preliminar, plancha 262 Génova. Scale 1:100 000. INGEOMINAS. Cali.
- 197.** Núñez, A., Mosquera, D. & Vesga, C.J. 1984. Mapa geológico preliminar, plancha 263 Ortega. Scale 1:100 000. INGEOMINAS. Ibagué.
- 198.** Caicedo, J.C. & Terraza, R. 2000. Geología de la plancha 264 Espinal. Scale 1:100 000. INGEOMINAS. Bogotá.
- 199.** Pulido, O., Gómez, L.S. & Marín, P. 1998. Geología de la plancha 266 Villavicencio. Scale 1:100 000. INGEOMINAS. Bogotá.
- 200.** Duarte, R., Moreno, M., Morales, C.J., Villegas, H., Alvarado, S., Téllez, M., Pacheco, S. & Rojas, N. 2010. Geología de la plancha 267 Pachaquiaro. Scale 1:100 000. INGEOMINAS. Bogotá.
- 201.** Alvarado, I., Téllez, M., Pacheco, S., Rojas, N., Morales, C.J., Duarte, R., Moreno, M. & Villegas, H. 2010. Geología de la plancha 268 Puerto López. Scale 1:100 000. INGEOMINAS. Bogotá.
- 202.** Alvarado, S., Téllez, M., Pacheco, S., Rojas, N., Morales, C.J., Duarte, R. & Moreno, M. 2010. Geología de la plancha 269 Río Yucao. Scale 1:100 000. INGEOMINAS. Bogotá.
- 203.** Alvarado, S., Téllez, M., Pacheco, S., Rojas, N., Morales, C.J., Duarte, R. & Moreno, M. 2010. Geología de la plancha 270 Galilea. Scale 1:100 000. INGEOMINAS. Bogotá.
- 204.** Alvarado, S., Téllez, M., Pacheco, S. & Rojas, N. 2010. Geología de la plancha 271 Botania. Scale 1:100 000. INGEOMINAS. Bogotá.
- 205.** Salazar, A., Vargas, M., Gómez, E., Ramírez, J.C., Quintero, I., Madero, H., Pelayo, Y., Bulla, M., Alzate, C., Másmela, O. & Espinel, V. 2012. Geología de la plancha 272 El Deba. Scale 1:100 000. Servicio Geológico Colombiano & Georesources Exploration S.A.S. Bogotá.
- 206.** Salazar, A., Vargas, M., Gómez, E., Ramírez, J.C., Quintero, I., Madero, H., Pelayo, Y., Bulla, M., Alzate, C., Másmela, O. & Espinel, V. 2012. Geología de la plancha 273 Chupabe. Scale 1:100 000. Servicio Geológico Colombiano & Georesources Exploration S.A.S. Bogotá.
- 207.** Salazar, A., Vargas, M., Gómez, E., Ramírez, J.C., Quintero, I., Madero, H., Pelayo, Y., Bulla, M., Alzate, C., Másmela, O. & Espinel, V. 2012. Geología de la plancha 274 Caño El Boral. Scale 1:100

000. Servicio Geológico Colombiano & Georesources Exploration S.A.S. Bogotá.
- 208.** Bernal, L., Mora, M., Jiménez, D.M., Khurama, S. & López, J. 2010. Geología de la plancha 277 bis Amanaven. Scale 1:100 000. INGEOMINAS. Bogotá.
- 209.** Aspden, J. & Nivia, Á. 1984. Mapa geológico preliminar, plancha 278 Bahía de Buenaventura. Scale 1:100 000. INGEOMINAS. Cali.
- 210.** Aspden, J., Nivia, Á. & Millward, D. 1984. Mapa geológico preliminar, plancha 279 Dagua. Scale 1:100 000. INGEOMINAS. Cali.
- 211.** McCourt, W.J., Millward, D. & Espinosa, A. 1984. Mapa geológico preliminar, plancha 280 Palmira. Scale 1:100 000. INGEOMINAS. Cali.
- 212.** Murillo, A., Esquivel, J. & Flores, D. 1982. Mapa geológico preliminar, plancha 281 Rioblanco. Scale 1:100 000. INGEOMINAS. Ibagué.
- 213.** Carvajal, C.A., Fuquen, J.A. & Gómez, L.A. 1993. Geología de la plancha 282 Chaparral. Scale 1:100 000. INGEOMINAS. Ibagué.
- 214.** Cossio, U., Rodríguez, G. & Rodríguez, M.A. 1991. Mapa geológico de la plancha 283 Purificación. Scale 1:100 000. INGEOMINAS. Ibagué.
- 215.** Geotec. 1971. Mapa fotogeológico de la plancha 284. Scale 1:50 000. In: Ecopetrol, Informe geológico preliminar Serranía de La Macarena, unpublished, 52 p. Bogotá.
- 216.** Geotec. 1971. Mapa fotogeológico de la plancha 285. Scale 1:50 000. In: Ecopetrol, Informe geológico preliminar Serranía de La Macarena, unpublished, 52 p. Bogotá.
- 217.** Alvarado, S., Téllez, M., Pacheco, S., Rojas, N. & Morales, C.J. 2010. Geología de la plancha 286 San Carlos de Guaroa. Scale 1:100 000. INGEOMINAS. Bogotá.
- 218.** Alvarado, S., Téllez, M., Pacheco, S. & Rojas, N. 2010. Geología de la plancha 287 Río Melúa. Scale 1:100 000. INGEOMINAS. Bogotá.
- 219.** Alvarado, S., Téllez, M., Pacheco, S. & Rojas, N. 2010. Geología de la plancha 288 Río Manacacías. Scale 1:100 000. INGEOMINAS. Bogotá.
- 220.** Alvarado, S., Téllez, M., Pacheco, S. & Rojas, N. 2010. Geología de la plancha 289 Río Tillava. Scale 1:100 000. INGEOMINAS. Bogotá.
- 221.** Alvarado, S., Téllez, M., Pacheco, S. & Rojas, N. 2010. Geología de la plancha 290 Saravia. Scale 1:100 000. INGEOMINAS. Bogotá.
- 222.** Bernal, L., Mora, M., Jiménez, D.M., Khurama, S., Marín, E., López, J., Páez, Y.I., Celada, C.M., Obando, G. & Carrillo, E. 2010. Geología de la plancha 297 Puerto Inírida. Scale 1:100 000. INGEOMINAS. Bogotá.
- 223.** Bernal, L., Mora, M., Obando, G., Khurama, S. & López, J. 2010. Geología de la plancha 297 bis Merey. Scale 1:100 000. INGEOMINAS. Bogotá.
- 224.** Nivia, Á. 2001. Geología del departamento del Valle del Cauca. Scale 1:250 000. INGEOMINAS. Cali.
- 225.** Verdugo, G. & Aspden, J.A. 1985. Mapa geológico preliminar, plancha 299 Jamundí. Scale 1:100 000. INGEOMINAS. Cali.
- 226.** McCourt, W.J. & Verdugo, G. 1985. Mapa geológico preliminar, plancha 300 Cali. Scale 1:100 000. INGEOMINAS. Cali.
- 227.** Esquivel, J., Flores, D. & Núñez, A. 1985. Mapa geológico de la plancha 301 Planadas. Scale 1:100 000. INGEOMINAS. Ibagué.
- 228.** Fuquen, J.A., Rodríguez, G. & Cossio, U. 1993. Geología de la plancha 302 Aipe. Scale 1:100 000. INGEOMINAS. Ibagué.
- 229.** Acosta, J., Caro, P.E., Fuquen, J.A. & Osorno, J.F. 2002. Geología de la plancha 303 Colombia. Scale 1:100 000. INGEOMINAS. Bogotá.
- 230.** Geotec. 1971. Mapa fotogeológico de la plancha 304. Scale 1:50 000. In: Ecopetrol, Informe geológico preliminar Serranía de La Macarena, unpublished, 52 p. Bogotá.
- 231.** Bermúdez, J.G., Arango, M.I., Ramírez, C., Zapata, G. & Rodríguez, G. 2011. Geología de la plancha 306 Puerto Lleras. Scale 1:100 000. Servicio Geológico Colombiano. Medellín.
- 232.** Alvarado, S., Téllez, M., Pacheco, S. & Rojas, N. 2010. Geología de la plancha 307 Río Manacacías. Scale 1:100 000. INGEOMINAS. Bogotá.
- 233.** Alvarado, S., Téllez, M., Pacheco, S. & Rojas, N. 2010. Geología de la plancha 308 Río Manacacías. Scale 1:100 000. INGEOMINAS. Bogotá.
- 234.** Orrego, A. & París, G. 1999. Mapa geológico del cuadrángulo N-6 Popayán. Scale 1:100 000. INGEOMINAS. Cali.
- 235.** Gómez, J., Morales, C.J., Marquínez, G. & Velandia, F. 1999. Geología de la plancha 322 Santa María. Scale 1:100 000. INGEOMINAS. Ibagué.
- 236.** Ferreira, P., Núñez, A. & Rodríguez, M.A. 1998. Geología de la plancha 323 Neiva. Scale 1:100 000. INGEOMINAS. Ibagué.
- 237.** Acosta, J. & Osorno, J.F. 1999. Geología de la plancha 324 Tello. Scale 1:100 000. INGEOMINAS. Bogotá.
- 238.** Geotec. 1971. Mapa fotogeológico de la plancha 325. Scale 1:50 000. In: Ecopetrol, Informe geológico preliminar Serranía de La Macarena, unpublished, 52 p. Bogotá.
- 239.** Geotec. 1971. Mapa fotogeológico de la plancha 326. Scale 1:50 000. In: Ecopetrol, Informe geológico preliminar Serranía de La Macarena, unpublished, 52 p. Bogotá.
- 240.** Ramos, K.G., Rodríguez, G. & Ortiz, F.H. 2011. Geología de la plancha 328 San Jorge (río Ariari). Scale 1:100 000. Servicio Geológico Colombiano. Medellín.
- 241.** Galvis, J., Huguett, A., Ruge, P. & de Boorder, H. 1979. La Amazonia colombiana y sus recursos: Geología, Tomo II Mapa de Geología. In: Díazgranados, D.A., Proyecto Radargramétrico del Amazonas. Scale 1:500 000. IGAC, 11 sheets. Bogotá.
- 242.** Echeverría, L.M. 1980. Tertiary or Mesozoic komatiites from Gorgona Island, Colombia: Field relations and geochemistry. Contributions to Mineralogy and Petrology, 73(3): 253–266.
- 243.** Nivia, Á., Pérez, C. & Sepúlveda, M.J. 2003. Geología de la plancha 339 Mosquera. Scale 1:100 000. INGEOMINAS. Cali.
- 244.** McCourt, W.J., Muñoz, C.A. & Villegas, H. 1990. Regional geology and gold potential of the Guapi–Nápi drainage basin and upper Timbiquí river–Cauca Department, SW Colombia, Phase II. INGEOMINAS & British Geological Survey, unpublished report, 62 p. Cali.
- 245.** Ruiz, S. & Marquínez, G. 2002. Geología de la plancha 343 Silvia. Scale 1:100 000. INGEOMINAS. Bogotá.
- 246.** Marquínez, G., Morales, C.J. & Núñez, A. 1999. Geología de la plancha 344 Tesalia. Scale 1:100 000. INGEOMINAS. Ibagué.
- 247.** Velandia, F., Morales, C.J., Caicedo, J.C. & Núñez, A. 1999. Geología de la plancha 345 Campoalegre. Scale 1:100 000. INGEOMINAS. Ibagué.
- 248.** Geotec. 1971. Mapa fotogeológico de la plancha 346. Scale 1:50 000. In: Ecopetrol, Informe geológico preliminar Serranía de La Macarena, unpublished, 52 p. Bogotá.
- 249.** Geotec. 1971. Mapa fotogeológico de la plancha 347. Scale 1:50 000. In: Ecopetrol, Informe geológico preliminar Serranía de La Macarena, unpublished, 52 p. Bogotá.
- 250.** Nivia, Á., Giraldo, M.I., Arango, M.I., Albarracín, H.A., Bermúdez, J.G. & Zapata, G. 2010. Geología de la plancha 350 San José del Guaviare. Scale 1:100 000. INGEOMINAS. Medellín.

251. Pérez, C. & Nivia, Á. 2003. Geología de la plancha 361–361 bis San Juan de La Costa. Scale 1:100 000. INGEOMINAS. Cali.
252. Orrego, A., León, L.A., Padilla, L.E., Acevedo, A.P. & Marulanda, N. 1999. Geología de la plancha 364 Timbío. Scale 1:100 000. INGEOMINAS. Popayán.
253. Marquínez, G., Rodríguez, Y., Terraza, R. & Martínez, M. 2003. Geología de la plancha 365 Coconuco. Scale 1:100 000. INGEOMINAS. Bogotá.
254. Rodríguez, G., Ferreira, P., Velandia, F. & Núñez, A. 1998. Geología de la plancha 366 Garzón. Scale 1:100 000. INGEOMINAS. Ibagué.
255. INGEOMINAS & Geoestudios. 2003. Geología de las planchas 367 Gigante, 368 San Vicente del Caguán, 389 Timaná, 390 Puerto Rico, 414 El Doncello y parte de la plancha 391 Lusitania. Scale 1:200 000. INGEOMINAS. Bogotá.
256. Nivia, Á. & Sepúlveda, M.J. 2003. Geología de la plancha 383 Tumaco. Scale 1:100 000. INGEOMINAS. Cali.
257. Pérez, C. & Nivia, Á. 2003. Geología de la plancha 384 Roberto Payán. Scale 1:100 000. INGEOMINAS. Cali.
258. INGEOMINAS & IGAC. 2005. Geología de la plancha 385 Ricaurte. Scale 1:100 000. INGEOMINAS. Bogotá.
259. Ruiz, S. 1999. Geología de la plancha 386 Mercaderes. Scale 1:100 000. INGEOMINAS. Popayán.
260. Orrego, A., París, G., Ibáñez, D. & Vásquez, E. 1999. Geología de la plancha 387 Bolívar. Scale 1:100 000. INGEOMINAS. Cali.
261. Cárdenas, J.I., Fuquen, J.A. & Núñez, A. 2002. Geología de la plancha 388 Pitalito. Scale 1:100 000. INGEOMINAS. Ibagué.
262. Muñoz, R., Cossio, U., Salazar, G. & Rodríguez, G. 2003. Geología de la plancha 407 Manglares. Scale 1:100 000. INGEOMINAS. Medellín.
263. Cossio, U., Londoño, A.C., Muñoz, R. & Rodríguez, G. 2001. Geología de la plancha 408 Barbacoas. Scale 1:100 000. INGEOMINAS. Medellín.
264. Murcia, A. & Cepeda, H. 1984. Geología de la plancha 410 La Unión. Scale 1:100 000. INGEOMINAS. Pasto.
265. INGEOMINAS & Geoestudios. 2003. Geología de las planchas 411 La Cruz, 412 San Juan de Villalobos, 430 Mocoa, 431 Piambone, 448 Monopamba, 449 Orito y 465 Churuyaco. Scale 1:100 000. INGEOMINAS. Bogotá.
266. Velandia, F. & Jiménez, D.M. In preparation. Geología de la plancha 413 Florencia. Scale 1:100 000. INGEOMINAS. Bogotá.
267. INGEOMINAS & IGAC. 2005. Geología de la plancha 427 bis Río Mataje. Scale 1:100 000. INGEOMINAS. Bogotá.
268. INGEOMINAS & IGAC. 2005. Geología de la plancha 427 La María. Scale 1:100 000. INGEOMINAS. Bogotá.
269. González, H. & Zapata, G. 2003. Geología de la plancha 428 Túquerres. Scale 1:100 000. INGEOMINAS. Medellín.
270. Murcia, A. & Cepeda, H. 1984. Geología de la plancha 429 Pasto. Scale 1:100 000. INGEOMINAS. Pasto.
271. Rodríguez, G., Sepúlveda, M.J., Ortiz, F.H., Ramírez, C., Ramos, K., Bermúdez, J.G. & Sierra, M.I. 2011. Geología de la plancha 443 Mitú, Vaupés. Scale 1:100 000. INGEOMINAS. Medellín.
272. Parra, E. & Velásquez, M.E. 2003. Geología de las planchas 447 Ipiales, 447 bis Tallambí. Scale 1:100 000. INGEOMINAS. Medellín.
273. Fuquen, J.A. & Núñez, A. 2003. Geología del departamento del Putumayo. Scale 1:400 000. INGEOMINAS. Bogotá.
274. Montoya, D., Alonso, D. & Pinilla, A. 2011. Geología de la plancha 567 San Juan de Atacuarí. Scale 1:100 000. INGEOMINAS. Bogotá.
275. Montoya, D., Alonso, D. & Pinilla, A. 2011. Geología de la plancha 568 Puerto Nariño. Scale 1:100 000. INGEOMINAS. Bogotá.
276. Montoya, D., Alonso, D. & Pinilla, A. 2011. Geología de la plancha 568 bis Parque Nacional Natural Amacayacú. Scale 1:100 000. INGEOMINAS. Bogotá.
277. Montoya, D., Alonso, D. & Pinilla, A. 2011. Geología de la plancha 569 Nazareth. Scale 1:100 000. INGEOMINAS. Bogotá.
278. Montoya, D., Alonso, D. & Pinilla, A. 2011. Geología de la plancha 569 bis Leticia. Scale 1:100 000. INGEOMINAS. Bogotá.